

References

- Abrahamson, J.H. (1990). *Survey methods in community medicine*. Edinburgh: Churchill Livingstone.
- Adam, K.S., Lohrenz, J.G., Harper, D., & Streiner, D. (1982). Early parental loss and suicidal ideation in university students. *Canadian Journal of Psychiatry*, 27, 275-281.
- Aday, L.A. (1996). *Designing and Conducting Health Surveys: A Comprehensive Guide*. San Francisco: Jossey-Bass Publishers.
- Altman, D.G. (1991). *Practical statistics for medical research*. London: Chapman and Hall.
- American Psychiatric Association. (1994). *Diagnostic and Statistical Manual of Mental Disorders*, (Fourth Edition, revised). Washington, DC: American Psychiatric Association Press.
- American Psychiatric Association. (1996). *Diagnostic and Statistical Manual of Mental Disorders: Primary Care Version*, (Fourth Edition, revised). Washington, DC: American Psychiatric Association Press.
- Anastasi, A. (1976). *Psychological testing*. New York: Macmillan.
- Andrews, G., Crino, R., Hunt, C., Lampe, L., & Page, A. (1994). *The treatment of Anxiety Disorders: Clinicians Guide and Patient Manuals*. Sydney, Australia: Cambridge University Press.

Archer, J., & Rhodes, V. (1995). A longitudinal study of job loss in relation to the grief process. *Journal of Community and Applied Psychology*, 5, 183-188.

Armstrong, D., Calnan, M., & Grace, J. (1990). *Research Methods for General Practitioners*. Oxford: Oxford University Press.

Attig, T. (1991). Death as an active process. *Death Studies*, 15, 385-393.

Australian Division of General Practice. (2002). *Familiarisation Training. GP and Practice Manual*. Belconnen, Australia; Educational Health Solutions.

Averill, J.R., & Nunley, E.P. (1993). Grief as an emotion and as a disease: A social constructionist perspective. In M.S. Stroebe, W. Stroebe, and R.O. Hansson (Eds.), *Handbook of Bereavement. Theory, Research and Intervention* (pp 77-90). Cambridge; Cambridge University Press.

Barrett, T.W., & Scott, T.B. (1989). Development of the Grief Experience Questionnaire. *Suicide and Life Threatening Behaviour*, 19 (2), 201-215.

Barsky, A.J. (1981). Hidden reasons some patients visit doctors. *Annals of Internal Medicine*, 94, 492-498.

Bartrop, R.W., Luckhurst, E., Lazarus, L., Kiloh, L.G., & Pennry, R. (1977). Depressed lymphocyte function after bereavement. *Lancet* 97, 834-836.

Beck, A.T., Ward, C.H., Mendelson, M., Mock, J., & Erbaugh, J. (1961). An inventory for measuring depression. *Archives of General Psychiatry*, 4, 561-71.

Ben-Porath, Y. S. (1991). The psychosocial adjustment. In J. Westermeyer, C. L. Williams, & A. N. Nguyen (Eds.) *Mental Health Services for Refugees*. (DHHS Publication No [ADM] 91 – 1824). Washington, DC: U.S. Government Printing Office.

Bisson, J.I., Jebkins, P.L., Alexander, J., & Bannister, C. (1997). Randomised controlled trial of psychological debriefing for victims of acute burn trauma. *British Journal of Psychiatry*, 171, 78-81.

Bowlby, J. (1980). *Loss, Sadness & Depression. Volume 1*. London; Hogarth.

Bowling, A. (1995). *Measuring Disease*. Buckingham, UK; Open University Press.

Bradburn, N. & Sudman, S. (1980). *Improving interview method and questionnaire design*. San Francisco: Jossey-Bass.

Brent, D., Perper, J., Goldstein, C., Kolko, D., Annan, M., Allman, C., & Zelenak, J. (1989). Risk factors for adolescent suicide. *Archives of General Psychiatry*, 45, 581-588.

Bridges-Webb, C., Britt, H., Miles, D., Neary, S., Charles, J., & Traynor, V. (1992). Morbidity and treatment in general practice. *Medical Journal of Australia*, 15,7 Suppl: 1-56.

Britt, H.C., & Miller, G.C. (2000). The BEACH study of general practice. *Medical Journal of Australia*, 173, 63-64.

Brown, G.W. & Harris, T. (1978)a. *The social origins of depression: A study of psychiatric disorder in women*. London: Tavistock Publications.

Brown, G. W.& Harris, T. (1978)b. Social origins of depression: a reply. *Psychological Medicine*, 8(4), 577-88.

Bruce, E.J., & Schultz, C. (2001). *Nonfinite Loss and Grief. A Therapeutic Approach*. NSW, Australia: MacLennan & Petty.

Bull, M., Clark, S.E., Duszinski, K. (2001). Lessons from a community's response to the death of Diana, Princess of Wales. *Omega* (accepted for publication).

Burnett, P., Middleton, W., Raphael, B., & Martinek, N. (1997). Measuring core bereavement phenomena. *Psychological Medicine*, 27 (1), 49-57.

Cannell, C., Miller, P.V., & Oksenberg, L. (1982). Research on interviewing techniques. In S. Leinhardt (Ed.), *Sociological Methodology* (pp.389-437). San Francisco: Jossey-Bass.

Caplan, G. (1990). Loss, Stress and mental health. *Community Mental Health Journal*, 26 (1), 27-48.

Chancellor, A., Mant, A., & Andrews, G. (1977). The general practitioner's identification and management of emotional disorders. *Australian Family Physician*, 6 (9), 1137-43.

Clark, S.E. (1986). Loss and grief in general practice: A pilot study. *Proceedings of Academic Day*. Royal Australian College of General Practitioners.

Clark, S.E. (1995). *After Suicide: Help for the Bereaved*. Melbourne: Hill of Content.

Clark, S.E. (2001a). Mapping grief: An active approach to grief resolution. *Death Studies*, 25 (6), 531-548.

Clark, S.E. (2001b) Bereavement after suicide - how far have we come and where do we go from here? *Crisis* 22 (3), 102-108.

Clark, S.E., Bull, M., Burgess, T., & Laven, G. (2000). *GriefLink: Final report to the South Australian Department of Human Services*. Department of General Practice, University of Adelaide.

Clark, S.E., & Goldney, R. (2000). The impact of suicide on relatives and friends. In K. Hawton & K. van Heeringen (Eds.) *The International Handbook of Suicide and Attempted Suicide*. Chichester, UK: John Wiley & Sons Ltd.

Clark, S.E. & Marley, J. (1993). Good Grief. *Medical Journal of Australia*, 158, 834-841.

Clarke, D.M., Mackinnon, A.J., Smith, G.C., McKenzie, D.P., & Herrman, H.E. (2000). Dimensions of psychopathology in the medically ill. A latent trait analysis. *Psychosomatics* 41 (5), 418-425.

Clayer, J.R., McFarlane, A.C., Bookless, C.L., Air, T., Wright, G., & Czechowicz, A.S.. (1995). Prevalence of psychiatric disorders in rural South Australia. *Medical Journal of Australia*, 163, 124-129.

Clayton, P. J. (1974). Mortality and morbidity in the first year of widowhood. *Archives of General Psychiatry*, 30, 747-750.

Clayton, P>J. (1998). The model of stress: The bereavement reaction. In B. P. Dohrenwend (Ed.): *Adversity, Stress and Psychopathology*. (pp96-110) Oxford: Oxford University Press.

Clegg, F. (1988). Grief and loss in elderly people in a psychiatric setting. In: E. Chigier (Ed.), *Grief and Mourning in Contemporary Society. Vol 1. Psychodynamics*. London: Freund.

Cleiren, M.P.H.D. (1993). *Bereavement and adaption. A comparative study of the aftermath of death*. Washington DC: Hemisphere Publishing Corporation.

COAG. (1995). *Health and Community Services: Meeting People's Needs Better. Discussion Paper*. Canberra: COAG Taskforce on Health and Community Services,

Cohen, J. (1968). Weighted kappa: nominal scale agreement with provision for scaled disagreement or partial credit. *Psychological Bulletin*, 70, 213-220.

Cohen-Cole, S. (1991). The Medical Interview: The Three Function Approach. St Louis: Mosby Year Books.

Commonwealth Department of Health and Aged Care. (1999). *Mental Health Promotion and Prevention National Action Plan*. Canberra, Commonwealth Department of Health and Aged Care.

Commonwealth Department of Health and Aged Care. (2000a). *Promotion, Prevention and Early Intervention for Mental Health – A Monograph*. Canberra, Commonwealth Department of Health and Aged Care.

Commonwealth Department of Health and Aged Care. (2000b). *LIFE. A framework for Prevention of Suicide and Self-Harm in Australia: Learnings about Suicide*. Canberra, Commonwealth Department of Health and Aged Care.

Condon, J.T. (1986). Psychological disability in women who relinquish a baby for adoption. *Medical Journal of Australia*, 144, 117-119.

Corr, C.A. (1999). Enhancing the concept of disenfranchised grief. *Omega*, 38 (1), 1-20.

Cronbach, L.J. (1951). Coefficient alpha and the internal structure of tests. *Psychometrika*, 16, 297-334.

Daines, B., Gask, L., & Usherwood, T. (1997). *Medical and Psychiatric Issues for Counsellors*. London: Sage.

Damrosch, S.P., & Perry, L.A. (1989). Self-reported adjustment, chronic sorrow, and coping of parents of children with Down Syndrome. *Nursing Research*, 28 (1), 25-30.

Davidson, G.W. (1979). Hospice care for the dying. In H. Wass (Ed.) *Dying: Facing the Facts* (pp158-181). Washington: Hemisphere. Cited in Neimeyer, R. A. *Lessons of Loss a Guide to Coping* (p 11). Clayton South, Australia: Centre for Grief Education.

Davies, J. (2000). *A Manual of Mental Health Care in General Practice*. Canberra, Australia, Commonwealth Department of Health and Aged Care.

Davies, M.H., Rose, S., & Cross, K.W. (1983). Life events, social interaction and psychiatric symptoms in general practice: a pilot study. *Psychological Medicine*, 13, 159-163.

Davis-Floyd, R., & St John, G. (1998). *From Doctor to Healer. The Transformative Journey*. New Brunswick, US: Rutgers University Press.

Delbridge, A., Bernard, J., Blair, D., Butler, S., Peters, P., & Tardiff, R. (1990). *The Macquarie Encyclopedic Dictionary*. Macquarie University, NSW: Macquarie University Press.

DeVries, P. (1969). *The Blood of the Lamb*. Boston, USA: Little, Brown and Co.

Di Angi, P.R. (1982). Grieving the acceptance of the homosexual identity. *Issues in mental Health Nursing*, 4, 101-113.

Doka, K. (1989). *Disenfranchised Grief. Recognizing Hidden Sorrow*. New York: Lexington Books.

Doka, K. (2002). *Disenfranchised Grief. New Directions, Challenges, and Strategies for Practice*. Illinois, Research Press.

Doka K., & Morgan J.(Eds.) (1993). *Death and Spirituality*. New York; Baywood Publishing Company.

Downe-Wamboldt, B., & Tamlyn, D. (1997). An international survey of death education trends in faculties of nursing and medicine. *Death Studies, 21*, 177-188.

Dunlop, R.J., Davies, R.J., & Hockley, J.M. (1989). Preferred versus actual place of death: a hospital palliative care support team experience. *Palliative Medicine, 3*, 197-201.

Dworkin, R.J. (1992). *Researching persons with mental illness*. Newbury Park, CA: Sage.

Egan, G. (1990). *The Skilled Helper. A Systematic Approach to Effective Helping*. California: Brooks/Cole Publishing Company.

Engel, G. (1961). Is grief a disease? *Psychosomatic Medicine, 23*, 18-22.

Engel, G. (1977). The need for a new medical model: A challenge for biomedicine. *Science, 196*, 129-135.

Farberow, N.L., Gallagher-Thompson, D., Gilewski, M., & Thompson, L. (1992a). Changes in grief and mental health of bereaved spouses of older suicides. *Journal of Gerontology, 47* (6), 357-366.

Farberow, N.L., Gallagher-Thompson, D., Gilewski, M., & Thompson, L. (1992b). The role of social supports in the bereavement process of surviving spouses of suicide and natural deaths. *Suicide and Life Threatening behaviour, 22* (1), 107-124.

Faschingbauer, T., Zisook, S., & DeVaul, R. (1987). The Texas Revised Inventory of Grief. In S. Zisook (Ed), *Biopsychsocial aspects of bereavement* (pp. 109-124). American Psychiatric Press: Washington, DC.

Finlay-Jones, R., & Brown, G.W. (1981). Types of stressful life events and the onset of anxiety and depressive disorders. *Psychological Medicine*, 11, 803-815.

Fowler, F.J. Jr, & Mangione, T.W. (1990). *Standardized survey interviewing: minimizing interviewer related error*. Thousand Oaks, CA: Sage.

Freud, S. (1934). Mourning & melancholia. In: *Collected Papers: Volume 4* (pp152-170). London: Leonard & Virginia Wolf at the Hogarth Press,

Gamino, L.A., Sewell, K.W., & Easterling, L.W. (2000). Scott and White Grief Study – Phase 2: Toward an adaptive model of grief. *Death Studies*, 24 (7), 633-660.

Glover, J. (1999). *Ageing: A Ten Year Plan for South Australia*. Adelaide, State Administration Centre.

Glover, J., Harris, K., & Tennant S. (1999). *A Social Health Atlas of Australia. 2nd edition, Volume 5: South Australia*. Adelaide: Public Health Information Development Unit.

Glover, J., Shand, M., Forster, C., & Wollacot, T. (1996). *A Social Health Atlas of South Australia*. Adelaide: South Australian Health Commission.

Goldberg, D.P. (1972). *The detection of psychiatric illness by questionnaire*. London: Oxford University Press.

Goldberg, D.P. (1979). Detection and assessment of emotional disorders in a primary care setting. *International Journal of Mental Health*, 8, 30-48.

Goldberg, D.P. (1984). The recognition of psychiatric illness by non-psychiatrists. *Australian and New Zealand Journal of Psychiatrists*, 18, 128-133.

Goldberg, D.P., Cooper, B., Eastwood, M.R., Kedward, H.B., & Shepherd, M. (1970). A standardised psychiatric interview for use in community surveys. *British Journal of Preventive and Social Medicine*, 24, 18-23.

Goldberg, D.P., & Hillier, V.F. (1979). A scale version of the General Health Questionnaire. *Psychological Medicine*, 9, 139-145.

Goldberg, D., Kay, C., & Thompson, L. (1976). Psychiatric morbidity in General Practice and the Community. *Psychological Medicine*, 6, 565-569.

Goldberg, D.P., & Williams, P. (1988). *A User's Guide to the General health Questionnaire*. Windsor: NFER-Nelson.

Goldberger, L., & Breznitz, H. (1993). *Handbook of Stress: Theoretical and Clinical Aspects (2nd ed.)*. New York: The Free Press.

Golden, T.R. (1996). Gender differences. In T.R. Golden, *Swallowed by a Snake: The gift of the Masculine Side of Healing* (pp73-96). Maryland: Golden Healing Publishing LLC.

Goldney, R.D., Fisher, L.J., & Wilson, D.H. (2001). Mental health literacy: an impediment to the optimum treatment of major depression in the community. *Journal of Affective Disorders*, 64, 277-284.

Goodkin, K., Baldewitz, T.T., Blaney, N., Asthana, D., Kumar, M., Shapshak, P., Leeds, B., Burkhalter, J., Rigg, D., Tyll, M., Cohen, J., & Zhen, W.L. (2001). Physiological effects of bereavement and bereavement support group interventions. In M.S. Stroebe, R. Hansson, W. Stroebe & H. Schut (Eds.), *Handbook of Bereavement research: Consequences, Coping and Care*. Washington, DC: American Psychological Association.

Gravetta, F.J., & Wallnau, L.B. (1996). *Statistics for the Behavioural Sciences (4th ed.)*, Minneapolis, US: West Publishing Company.

Griffin, G.M. (2000). Defining Australian death: Religion and the State. In A. Kellehear (Ed), *Death and Dying in Australia* (pp40-51). Oxford; Oxford University Press.

Griffin, M., & Tobin, D. (1982). *In the Midst of Life – the Australian Response to Death*. Carlton, Vic: Melbourne University Press.

Guy, W., & Ban, T. (Eds.). (1982). *The AMDP-System. Manual for the Assessment and Documentation of Psychopathology*. Berlin: Springer-Verlag.

Hansell, N. (1976). *The Person-in-Distress*. New York: Human Sciences Press.

Hansson, R.O., Carpenter, B.N., & Fairchild, S.K. (1993). Measurement issues in bereavement. In M.S. Stroebe, W. Stroebe, & R.O. Hansson (Eds.), *Handbook of Bereavement: Theory, Research and Intervention*. New York: Cambridge University Press.

Harlow, S.D., Goldberg, E.L., & Comstock, A. (1991). A longitudinal study of the prevalence of depressive symptomatology in elderly widowed and married women. *Archives of General Psychiatry*, 48, 165-1068.

Harris, M.F., Silove, D., & Kehag, E. (1996). Anxiety and depression in general practice patients: prevalence and management. *Medical Journal of Australia*, 164, 526-529.

Harrison Market Research Pty Ltd. (1994). *1993 Health Omnibus Survey: A Research Report*. Adelaide: Harrison Market Research Pty Ltd.

Harrison Market Research Pty Ltd. (1995). *Health Omnibus Survey: A prospectus*. Adelaide: Harrison Market Research Pty Ltd.

Harvey, J.H. (1996). Editorial. *Journal of Personal and Interpersonal Loss*, 1 (1), iii-ix.

Harvey, J.H. (1998). *Perspectives on Loss. A Sourcebook*. Philadelphia: Brunner/Mazel.

Harvey, J.H., & Weber, A.L. (1998). Why must there be a psychology of loss? In Harvey JH (Ed.), *Perspectives on Loss. A Sourcebook* (pp319-330). Philadelphia: Brunner/Mazel.

Hauerwas, S. (1990). *Naming the Silences: God, Medicine and the Problem of Suffering*. Grand Rapids, Michigan: William B Eerdmans Publishing Company.

Hayslip, B., McCoy-Roberts, L., & Pavur, R. (1998). Selective attrition effects in bereavement research: A three-year longitudinal analysis. *Omega*, 38 (1), 21-35.

Henderson, A.S., & Jorm, A.F. (1990). Do mental health surveys disturb? *Psychological Medicine*, 20, 721-724.

Hickie, I.B., Davenport, T.A., Hadzi-Pavlovic, D., Koschera, A., Naismith, S.L., Scott, E.M., & Wilhelm, K.A. (2001). Development of a simple screening tool for common mental disorders in general practice. *Medical Journal of Australia*, 175, S10-17.

Hickie, I.B., Davenport, T.A., Scott, E.M., Hadzi-Pavlovic, D., Naismith, S.L., & Koschera, A. (2001). Unmet need for recognition of common mental disorders in Australian general practice. *Medical Journal of Australia*, 175, S18-24.

Hirsch, J., Hofer, M., Holland, J., and Soloman, F. (1984). Toward a biology of grieving. In M. Osterweiss, F. Soloman and M. Green (Eds), *Bereavement Reactions, Consequences and Care*. Washington, DC: National Academy Press.

Hoeper, E.W., Nycz, G.R., Cleary, P., Regier, D., & Goldberg, I.D. (1979). Estimated prevalence of RDC mental disorder in primary medical care. *International Journal of Mental Health*, 8, 6-15.

Hogan, N. S., Greenfield, D. B., & Schmidt, L.A. (2001). Development and evaluation of the Hogan Grief Reaction Checklist. *Death Studies*, 25 (1), 1-32.

Holden, R.R., Fekken, G.C., & Jackson, D.N. (1985). Structured personality test item characteristics and validity. *Journal of research in personality*, 19, 386-394.

Holmes, T.H., & Rahe R.H. (1967). The social readjustment rating scale. *Journal of Psychosomatic Research*, 11 (2), 213-8.

Horowitz, M., Siegel, B., Holen, A., Bonanno, G., Milbrath, C., & Stinson, C. (1997). Diagnostic criteria for complicated grief disorder. *American Journal of Psychiatry*, 154, 904-910.

Horowitz, M., Wilner, N., & Alvarez, W. (1979). Impact of event scale: A measure of subjective stress. *Psychosomatic Medicine*, 41, 209-218.

Hoyningen-Huene, P. (1993). *Restructuring Scientific Revolution*. Chicago: University of Chicago Press.

Hubbard, J.R., & Workman, E.A. (1997a). *Handbook of Stress Medicine: An organ system approach*. New York: CRC Press.

Hubbard, J.R., & Workman, E.A. (1997b). On the nature of stress. In J.R. Hubbard and E.A. Workman (Eds.), *Handbook of Stress Medicine: An organ system approach*. New York: CRC Press.

Human Rights and Equal Opportunities Commission. (1997). *Bringing Them Home: Report of the National Inquiry into the Separation of Aboriginal and Torres Strait Islander Children from Their Families*. Canberra: Australian Government Publishing Service.

Hunt, S.M., McEwan, J., & McKenna, S.P. (1986). *Measuring Health Status*. Beckenham: Croonhelm.

Jachuck, S.J., Brierly, H., Jachuck, S., & Wilcox, P.M. (1982). The effect of hypotensive drugs on the quality of life. *Journal of the Royal College of General Practitioners*, 32, 103-105.

Jacobs, S. (1993). *Pathological grief: Adaptation to Loss*. Washington: American Psychiatric Press.

Jacobs, S.C. (1987). Measures of the psychological distress of bereavement. In S. Zisook (Ed). *Psychological aspects of bereavement*. Washington, DC: Psychiatric Press 1987.

Jacobs, S., Kasl, S.V., Ostfeld, A.M., Berkman, L., Kosten, T.R., & Charpentier, P. (1987). The measurement of grief: bereaved versus non-bereaved. *The Hospice Journal*, 2, 21-36.

Jorm, A.F., Korten, A.E., Jacomb, P.A., Christensen, H., Rodgers, B., & Pollitt, P. (1997). "Mental health literacy": a survey of the public's ability to recognise mental disorders and their beliefs about the effectiveness of treatment. *Medical Journal of Australia*, 166, 182-186.

Kaczmarek, M.G., & Backlund, B.A. (1991). Disenfranchised grief: The loss of an adolescent romantic relationship. *Adolescence*, 26 (102), 253-259.

Kato, P.M., & Mann, T. (1999). A synthesis of psychological interventions for the bereaved. *Clinical Psychology Review*, 19 (3), 275-296.

Katschnig, H. (1986). *Life events and Psychiatric Disorders: Controversial Issues*. Cambridge, UK: Cambridge University Press.

Kellehear, A. (2000). The Australian way of death: Formative historical and social influences. In A. Kellehear (Ed), *Death and Dying in Australia*. Oxford: Oxford University Press.

Kessler, R.C., McGonagle, K.A., Zhao, S., Nelson, C.B., Hughes, M., Eshleman, S., Wittchen, H.U., & Kendler, K.S. (1994). Lifetime and 12-month prevalence of DSM-III psychiatric disorders in the United States. Results from the National Co-Morbidity Study. *Archives of General Psychiatry*, 51, 8-19.

Kiecolt-Glaser, J. K., Glaser, R., Shuttleworth, E. C., Dyer, C. S., Ogrocki, P., & Speicher, C. E. (1987). Chronic stress and immunity in family caregivers of Alzheimer's disease victims. *Psychosomatic Medicine*, 49, 523-535.

Kissane, D., Bloch, S., & McKenzie, D.P. (1997). The Bereavement Phenomology Questionnaire. *Australian and New Zealand Journal of Psychiatry*, 31, 370-374.

Kissane, D.W., Clarke, D.M., Ikin, J., Bloch, S., Smith, G.C., Vitetta, L., & McKenzie, D.P. (1998) Psychological morbidity and quality of life in Australian women with early-stage breast cancer: a cross sectional survey. *Medical Journal of Australia*, 169, 192-196.

Klass, D., Silverman, P.R., & Nickman, S.L. (1996). *Continuing Bonds*. Philadelphia, PA: Taylor & Francis.

Knottnerus, J.A., Metsemakers, J., Hoppener, P., & Limonard, C. (1992). Chronic illness in the community and the concept of 'social prevalence'. *Family Practice*, 9 (1), 15-21.

Koopowitz, L.F. (1991). The role of the brain in psychiatry: Implications for the specialist practice of psychiatry. *Australasian Psychiatry*, 7 (5), 253-255.

Kubler-Ross, E. (1970). *On Death and Dying*. London: Tavistock/Routledge.

Kuhn, T., S. (1970). *The Structure of Scientific Revolutions. Second Edition*. Chicago; University of Chicago Press.

Khunti, K. (1996). A method of creating a death register for general practice. *British Medical Journal*, 312, 952.

Lamberts, H., & Wood, M. (Eds.), (1987). *ICPC, International Classification of Primary Care: prepared for the World Organisation of National Colleges, Academies, and Academic Associations of General Practitioners/Family Physicians (WONCA) by the ICPC Working Party*. Oxford: Oxford University Press.

Landis, J.R., & Koch, G.G. (1977). The measurement of observer agreement for categorical data. *Biometrics*, 33, 159-174.

Leon, A., Altholz, J., & Dziegielewski, S. (1999). Compassion fatigue: considerations for working with the elderly. *Journal of Gerontological Social Work*, 32 (1), 43-62.

Lerner, Y., Mirsky, J., & Barasch, M. (1994). New beginnings in an old land: Refugee and immigrant mental health in Israel' In A.J. Marsella, T. Borneman, S. Ekblad & J. Orley (Eds.), *Amidst Peril and Pain: The Mental Health and Wellbeing of the World's Refugees*. Washington, DC: American Psychological Association.

Lev, E., Munro, B.H., & McCorcle, R. (1993). A shortened version of an instrument measuring grief. *International Journal of Nursing Studies*, 30 (3), 213-226.

Liken, M.A., & Collins, C.E. (1993). Grieving: facilitating the process for dementia caregivers. *Journal of Psychosocial Nursing and Mental Health Services*, 31(1), 21-26.

Lima, M.A, Beria, J.U., Tomasi, E., Conceicao, A.T., & Mari, J.J. (1996). Stressful life events and minor psychiatric disorders: an estimate of the population attributable fraction in a Brazilian community-based study. *International Journal of Psychiatry in Medicine*, 26 (2), 211-222.

Lindemann, E. (1944). Symptomatology and management of acute grief. *American Journal of Psychiatry*, 101, 141-148.

Long, A., & Smyth, A. (1998). The role of mental health nursing in the prevention of childhood sexual abuse and the therapeutic care of survivors. *Journal of Psychiatric Mental Health Nursing*, 5(2), 129-136.

Maddison, D., & Viola, A. (1968). The health of widows in the year following bereavement. *Journal of Psychosomatic Research*, 12, 297-306.

Maddison, D., Viola, A., & Walker, W. (1969) Further studies into conjugal bereavement. *Australian and New Zealand Journal of Psychiatry*, 3, 63-66.

Maddison, D., & Walker, W. (1967) Factors affecting the outcome of conjugal bereavement. *British Journal of Psychiatry*, 113: 1057-1067.

Maguire, P., & Parkes, C.M. (1998). Surgery and loss of body parts. *British Medical Journal*, 316, 1086-1988.

Mallouh, S.K., Abbey, S.E., Gillies, L.A. (1995). The role of loss in treatment outcomes of persistent somatisation. *General Hospital Psychiatry*, 17 (3), 187-191.

Markus, A.C., Murray Parkes, C.M., Tomson, P., & Johnson, M. (1989). Psychological reactions to physical illness. In A.C. Markus, C.M. Parkes, P. Tomson and M. Johnson (Eds.), *Psychological Problems in General Practice*. Oxford: Oxford University Press.

Marris, P. (1958). *Widows and their families*. London: Routledge & Kegan Paul.

Martin, J. L. (1988). Psychological consequences of AIDS-related bereavement among gay men. *Journal of Consulting and Clinical Psychology*, 56, 856-862.

Mathers, C.D., & Schofield, D.J. (1998) The health consequences of unemployment: the evidence *Medical Journal of Australia*, 168, 178-182.

McIntosh, J.L. (1993). Control group studies of suicide survivors: a review and critique. *Suicide and Life Threatening Behavior*, 23, 146-161.

McNeil, D.E., Hatcher, C., & Reubin, R. (1988). Family survivors of suicide and accidental death: consequences for widows. *Suicide and Life Threatening Behavior*. 18 (2), 137-148.

Mendes de Leon, C. F., Kasl, S. V., & Jacobs, S. (1994). A prospective study of widowhood and changes in symptoms of depression in a community sample of the elderly. *Psychological Medicine*, 24, 613-624.

Meyer, A. (1951). The life chart and the obligation of specifying positive data in psychopathological diagnosis. In EE Winters (Ed.), *The Collected Papers of Adolf Meyer*, Vol. III, Medical Teaching. Baltimore: The John Hopkins Press.

Middleton, W. (1995). Measuring bereavement/grief. In W Middleton, *The phenomenology of bereavement and the processes of resolution*. Thesis submitted to the University of Queensland Department of Psychiatry.

Middleton, W., Moylan, A., Raphael, B., Burnett, P., & Martinek, N. (1993). An international perspective on bereavement related concepts. *Australian and New Zealand Journal of Psychiatry*, 27, 457-463.

Middleton, W., Burnett, P., Raphael, B., & Martinek, N. (1996). The bereavement response: a cluster analysis. *British Journal of Psychiatry*, 169, 167-71.

Miller, A.D., & Omarzu, J. (1996). New directions in loss research. In JH Harvey (Ed), *Perspectives on Loss: A Sourcebook*. Philadelphia, PA: Brunner/Mazel.

Miller, F., Dworkin, J., Ward, M., & Barone, D. (1990). A preliminary study of unresolved grief in families of seriously mentally ill patients. *Hospital and Community Psychiatry*, 41 (12), 1321-1325.

Mor, V., McHorney, C., & Sherwood, S. (1986). Secondary morbidity among the recently bereaved. *American Journal of Psychiatry*, 143, 158-163.

Mrazek, P.J., & Haggerty, R.J. (1994). *Reducing Risks for Mental Disorders: Frontiers for Preventive Intervention Research*. Washington, DC: National Academy Press.

Mulley, G.P. (1995). Preparing for the late years. *The Lancet*, 345, 1409-1413.

Murphy, S.A., Johnson, C., Cain, K.C., Gupta, A.D., Dimond, M., Lohan, J., & Baugher, R. (1998). Broad-spectrum group treatment for parents bereaved by the violent deaths of their 12-28 year old children: a randomised controlled trial. *Death Studies*, 22, 209-235.

Murphy, S.A., Gupta, A.D., Cain, K.C., Johnson, C., Lohan, J., Wu, L., & Mekwa J. (1999). Changes in parents mental distress after the violent deaths of an adolescent or young adult child: a longitudinal prospective analysis. *Death Studies*, 23, 129-159.

Murray, J.A., (2001). Loss as a universal concept: A review of the literature to identify common aspects of loss in diverse situations. *Journal of Loss and Trauma*, 6, 219-241.

National Health and Medical Research Council. (1997). *Depression in Young People. A guide for general practitioners*. Canberra: Commonwealth Department of Health and Family Services.

National Health and Medical Research Council. (1992). *Statement on Human Experimentation and Supplementary Notes*. Canberra: National Health and Medical Research Council.

- Neimeyer, R.A. (1998). Can there be a psychology of loss. In J.H. Harvey (Ed.) *Perspectives on Loss: A Sourcebook*. Philadelphia: Brunner/Mazel.
- Neimeyer, R.A. (2000)a. *Lessons of Loss. A Guide to Coping*. Centre for Grief Education, Melbourne.
- Neimeyer, R.A. (2000)b. Meaning reconstruction and the experience of loss. In: R. A. Neimeyer *Lessons of Loss. A Guide to Coping*. Clayton South, Australia: Centre for Grief Education.
- Neimeyer, R.A., & Hogan, N.S. (2001) Quantitative or qualitative? Measurement issues in the study of grief. In M.S. Stroebe, R.O. Hansson, W. Stroebe & H. Schut (Eds.), *Handbook of Bereavement Research: Consequences, Coping and Care*. Washington: American Psychological Association.
- Nelson, E.C., Landgraf, J.M., Hays, R.D., et al. (1990). The COOP Function Charts: A system to measure patient function in physicians' offices. In: *Functional Status Measurement in Primary Care (WONCA eds.)*. New York: Springer-Verlag.
- Ness, D.E., & Pfeffer, C.R. (1990). Sequelae of bereavement resulting from suicide. *American Journal of Psychiatry*, 143 (3), 279-285.
- Newman, S.C., & Bland, R.C. (1994). Life events and the one-year prevalence of major depressive episode, generalised anxiety disorder, and panic disorder in a community sample. *Comprehensive Psychiatry*, 35, 76-82.

Norman, G.R., & Streiner, D.L. (2000). *Biostatistics: The Bare Essentials*. Hamilton, Ont: BC Decker Inc.

Novak, D., Goldstein, M., & Dube C. (1994). Student Coursebook: The Patient Centred Interview. Brown University.

Nunnally, J.C. Jnr. (1978). *Psychometric Theory* (2nd ed.). New York: McGraw-Hill.

Nuremberg Code. (1949-49) *Permissible medical experiments. Trials of War Criminals before the Nuremberg Military Tribunals under Control Council Law No.10: Nuremberg October 1946-April 1949*. Washington: US. Government Printing office (n.d.), vol. 2 pp181-182.

Nutbeam, D., Wise, M., Bauman, A., et.al. (1993). Goal and targets for Australia's health in the year 2000 and beyond. Canberra: Australian Government Publishing Service.

Nuremberg Code. (1949-49) *Permissible medical experiments. Trials of War Criminals before the Nuremberg Military Tribunals under Control Council Law No.10: Nuremberg October 1946-April 1949*. Washington: US. Government Printing office (n.d.), vol. 2 pp181-182.

Oakley-Browne, M.A., Joyce, P.R., Wells, J.E., Bushnell, J.A., & Hornblow, A.R. (1989). Christchurch psychiatric epidemiology study. *Australian and New Zealand Journal of Psychiatry*, 23, 327-340.

Osterweis, M, Solomon F, & Green, M. (1984). *Bereavement: Reactions, Consequences and Care*. Washington, DC: National Academy Press.

Parkes, C.M. (1964). Effects of bereavement on physical and mental health – a study of medical records of widows. *British Medical Journal*, 2, 274-276.

Parkes, C.M. (1986). *Bereavement. Studies of Grief in Adult Life*. Ringwood, Victoria: Penguin.

Parkes, C.M. (1998). Bereavement in adult life. *British Medical Journal*, 316, 856-859.

Parkes, C.M. (1995). Guidelines for conducting ethical bereavement research. *Death Studies*, 19, 171-181.

Parkes, C.M., & Markus, A. (Eds.), (1998). *Coping with Loss: Helping Patients and their Families*. London: BMJ Books.

Parkes, C.M. (1988). Bereavement as a psychosocial transition: Processes of adaptation to change. *Journal of Social Studies*, 44 (3), 53-65.

Parkes, C.M., & Brown, R.J. (1972). Health after bereavement: a controlled study of young Boston widows and widowers. *Psychosomatic Medicine*, 34, 449-461.

Parkes, C.M., & Weiss, R.S. (1983). *Recovery from Bereavement*. New York: Basic Books.

Paykel, E.S. (1974). Recent life events and clinical depression. In E. K. Gunderson, & R. H. Rahe (Eds.), *Life, Stress and Illness*. Springfield, Illinois: CC Thomas.

*Paykel, E.S., Prusoff, B.A., & Uhlenhuth, E.H. (1971). Scaling of life events. *Archives of General Psychiatry*, 25, 340.

Pless, I.B., & Miller, J.R. (1979). Apparent validity of alternate survey methods. *Journal of Community Health*, 5, 22.

Power, C., Rodgers, B., & Hope, S., (1994). Heavy alcohol consumption and marital status: disentangling the relationship in a national study of young adults. *Addiction* 94 (10), 1477-1487.

Prigerson, H., Machiejewski, P., Reynolds, C.P., Bierhals, A.J., Newsom J.T., Fasiczka, A. Frank, E., Doman, J., & Miller, M. (1995). Inventory of complicated grief: A scale to measure maladaptive symptoms of loss. *Psychiatry Research* 59, 65-79.

Raphael, B. (1977). The Granville train disaster: psychological needs and their management. *Medical Journal of Australia*, 1(9), 303-305.

Raphael, B. (1984). *The Anatomy of Bereavement. A Handbook for the Caring Professions*. Sydney: Hutchinson.

Raphael, B. (2000). Grief and loss in Australian society. In A. Kellehear (Ed.): *Death and Dying in Australia*. South Melbourne: Oxford University Press.

Raphael, B., Meldrum, L., & McFarlane, A.C. (1995). Does debriefing for psychological trauma work? *British Medical Journal*, 310, 1479-1480.

Reads, J. (1995). *Counselling for Fertility Problems*. London: Sage.

Rees, W.D., & Lutkins, S. (1967). Mortality of bereavement. *British Medical Journal*, 4, 13-16.

Reese, D.R., Gross, A.M., Smalley, D.L., & Messner, S.C. (1994). Caregivers of Alzheimer's Disease and stroke patients: immunological and psychological considerations. *The Gerontologist*, 34 (4), 534-546.

Remondet, J.H., & Hanson, R.O. (1987). Assessing a widow's grief. *Journal of Gerontological Nursing*, 13 (4), 31-34.

Robins, L.N., & Regier, D.A. (Eds). (1991). *Psychiatric Disorders in America: the Epidemiologic Catchment Area Study*. New York: The Free Press.

Robins, L.N., Wing, J., Wittchen, H.U., Helzer, J.E., Babor, T.F., Burke, J., Farmer, A., Jablenski, A., Pickens, R., Regier, D.A., Sartorius, N., & Towle, L.H. (1988). The composite international diagnostic interview. *Archives of General Psychiatry*, 45, 1069-1077.

Roy, A., Gallucci, W., Avgerinos, P., Linnoila, M., and Gold, P. (1988). The CRH stimulation test in bereaved subjects with and without accompanying depression. *Psychiatry Research*, 25, 145-146.

Rowland, N., Bower, P., Mellor Clark, J., Heywood, P., & Godfrey, C. (2001). *Effectiveness and cost effectiveness of counselling in primary care (Cochrane review)*. In: The Cochrane Library, Issue 3.

Royal Australian College of General Practitioners. (1991). *Training for General Family Practice with the Family Medicine Programme*. Jolimont, Victoria: The Royal Australian College of General Practitioners Family Medicine Programme.

Royal Australian College of General Practitioners. (2001). *Guidelines for Preventive Activities in General Practice. Fifth Edition*. Melbourne, Australia: Royal Australian College of General Practitioners.

Rubin, S.S. (1999). The two-track model of bereavement: Overview, Retrospect, and Prospect. *Death Studies*, 23, 618-714.

Rubin, H., & Rubin, I. (1995). *Qualitative Interviewing. The Art of hearing Data*. London: Sage.

Runeson, B., & Beskow, J. (1991). Reactions of survivors of suicide victims to interviews. *Acta Psychiatrica Scandinavia*, 83, 169-173.

Salopsky, R. M., & Pulsinelli, W. A. (1985). Glucocorticoids potentiate ischaemic injury to neurons: Therapeutic implications. *Science*, 229, 1379-1400.

Sanders, C. (1993). Risk factors in bereavement outcome. In M. Stroebe, W. Stroebe, and R. Hansson (Eds.) *Handbook of Bereavement: Theory, Research and Intervention* (pp. 255-270) Cambridge: Cambridge University Press.

Sanders, C.M., Mauger, P.A., & Strong, P.N. (1985). *A manual for the Grief Experience Inventory*. Blowing Rock, NC: Center for the Study of Separation and Loss.

SAS Institute Inc. (1998). *SAS/ETS User's Guide. Version 6. Second Edition*. Cary, NC: SAS Institute Inc.

Schaefer, C., Quesenberry, C.P., & Wi, S. (1995). Mortality following conjugal bereavement and the effect of a shared environment. *American Journal of Epidemiology*, *141*, 1142-1152.

Schaefer, J. A., & Moos, R. H. (1998). The context for post traumatic growth: Life crises, individual and social resources, and coping. In R. G. Tedeschi, C. L. Park and L. G. Calhoun (Eds.), *Posttraumatic Growth: Positive Changes in the Aftermath of Crisis*. Mahwah, NJ: Erlbaum.

Seeman, T. E., Singer, B. H., Rowe, J. W., Horwitz, R. I. and McEwen B. S. (1997). Price of adaptation – Allostatic load and its health consequences – MacArthur studies of successful aging. *Archives of Internal Medicine*, *157*, 2259-2268.

Selye, H. (1956). *The Stress of Life*. New York: McGraw Hill Book Company.

Shuchter, S.R., Zisook, S. (1993). The course of normal grief. In M.S. Stroebe, W. Stroebe, R.O. Hansson (Eds.), *Handbook of Bereavement. Theory, Research and Intervention*. Cambridge: Cambridge University Press.

Siemiatycki, J. (1979). A comparison of mail, telephone and home interview strategies for household health surveys. *American Journal of Public Health*, *69*, 238.

Slevin, M.L., Plant, H., Lynch, D., et al. (1988). Who should measure the quality of life, the doctor or the patient? *British Journal of Cancer*, *57*, 109-112.

Smith, S. (1999). The lost children. *Contemporary Nursing*, 8 (1), 245-251.

South Australian Health Omnibus Survey. (1993a). Adelaide: Harrison Market Research Pty Ltd.

South Australian Health Omnibus Survey. (1993b). *A research report prepared for Dr Sheila Clark*. Adelaide: Harrison Market Research Pty Ltd.

Spence, S.H. (1996). A case for prevention. In P Cotton and H Jackson (Eds.), *Early intervention and Prevention in Mental Health*. (pp. 1-20) Melbourne: Australian Psychological Society

Spitzer, R.L., Williams, J.B.W., Kroenke, K., Linzer, M., deGruy, F.V., Hahn, S.R., Brody, D., & Johnson, J.G. (1994). Utility of a new procedure for diagnosing mental disorders in primary care. The PRIME-MD 1000 study. *Journal of the American Medical Association*, 272 (22),1749-1756.

Steele, G.P. (1978). Life event research and its clinical applications. *Medical Journal of Australia*, 1(6), 312-313.

Streiner, D.L., & Norman, G.R. (1995). *Health Measurement Scales. A Practical Guide to their Development and Use*. Oxford: Oxford University Press.

Stroebe, M.S., Hansson, R.O., Stroebe, W., & Schut, H. (2001). *Handbook of Bereavement Research: Consequences, Coping and Care*. Washington, DC: American Psychological Association.

Stroebe, M.S., & Schut, H. (1999). The dual process model of coping with bereavement. *Death Studies, 23* (3), 197-224.

Stroebe, M.S., Stroebe, W., & Hansson, R.O. (1993). *Handbook of Bereavement. Theory, Research and Intervention*. Cambridge: Cambridge University Press.

Stroebe, W., & Stroebe, M.S. (1987). *Bereavement and Health. The Psychological and Physical Consequences of Partner Loss*. Cambridge: Cambridge University Press.

Stueve, A., Dohrenwend, B.P., & Skodol, A.E. (1998). Relationships between stressful life events and episodes of major depression and non-affective psychotic disorders: selected results from a New York Risk Factor Study. In B.P. Dohrenwend (Ed.): *Adversity, Stress and Psychopathology*. Oxford: Oxford University Press.

Suitor, J. J., & Pillemer, K. (1993) Support and interpersonal stress in the social networks of married daughters caring for parents with dementia. *Journal of Gerontology, 48* (1), S1-8.

Surtees, P.G. (1989). Hosts to adversity: 1. An epidemiological perspective. *Acta Psychiatrica Scandinavia, 80*, 194-205.

Surtees, P.G. (1995). In the shadow of adversity: The evolution and resolution of anxiety and depressive disorder. *British Journal of Psychiatry, 166*, 583-594.

Svedin, C.G., & Wadsby, M. (1998) The presence of psychiatric consultations in relation to divorce. *Acta Psychiatrica Scandinavia, 98* (5), 414-22.

Szanto, K., Prigerson, H., Houck, P., Ehrenpreis, L., & Reynolds, C. (1997). Suicidal ideation in elderly bereaved: The role of complicated grief. *Suicide and Life Threatening Behaviour, 27* (2), 194-207.

Tabachnick, B.G. & Fidell, L.S. (2000). *Using multivariate statistics (4th ed.)*. New York: Harper Collins.

Taub, H.A. (1986). Comprehension of informed consent for research: Issues and directions for future study. *IRB: A Review of Human Subjects' Research, 8*, 7-10.

Tedeschi, R. G. and Calhoun, L. G. (1995). *Trauma and Transformation: growing in the aftermath of suffering*. Thousand Oaks, CA: Sage.

Tennant, C., & Andrews, G. (1976). A scale to measure the stress of life events. *Australia and New Zealand Journal of Psychiatry, 10*, 27-32.

TexaSoft (1996-2001). *Kruskal-Wallis Test*. Retrieved November 29, 2001 from the World Wide Web: <http://www.texasoft.com/winkkrus.html>

Toedter, L. J., Lasker, J. N., & Alhadeff, H. J. (1988). The Perinatal Grief Scale: Development and initial validation. *American Journal of Orthopsychiatry, 58*, 435-449.

Tudball, J. (2001) Marital quality, rates of divorce and bereavement: What does the research say? Divorce following bereavement. *Grief Matters, 4*(1), 13-16.

Turnbull, G.J. (1998). A review of post-traumatic stress disorder. Part 1: Historical development and classification. *Injury, 29*(2), 87-91.

Underwood, P., Ward, A., Fatovich, B., Wood, A., Gray, D., Prince, J., & McGee, P. (1992). *Utilization of General Practice. A Report for the Health, Housing and Community Services Research and Development Grants Advisory Committee of the Commonwealth Department of Health, Housing and Community Services*. Claremont, WA: University of Western Australia.

Van der Wal, J. (1989) The aftermath of suicide: a review of empirical evidence. *Omega*, 20 (2): 149-171.

Van Eerdewegh, M.M., Beiri, M.D., Parilla, R.H., & Clayton, P.J., (1982). The bereaved child. *British Journal of Psychotherapy*, 140, 23-29.

Vieweg, B.W., Hedlund, J.L. (1983). The General Health Questionnaire: A comprehensive review. *Journal of Operational Psychiatry*, 14, 74-81.

Walter, T. (1996). A new model of grief: bereavement and biography. *Mortality*, 1, 7-25.

Weiss, D.S., Horowitz, M.J., & Wilner, N. (1984). The Stress Response Rating Scale: A clinician's measure for rating the response to serious life events. *British Journal of Clinical Psychology*, 23, 202-215.

Weiten, W. (1998). *Psychology: Themes and Variations (4th ed.)*. Melbourne: Brooks/Cole Publishing Company.

Wesserley, S., Rose, S., & Bisson, J. (1998). *A Systematic Review of Brief Psychological Interventions ('debriefing') for the Treatment of Immediate Trauma-Related Symptoms and the Prevention of PTSD*. California, USA: The Cochran Library CD-ROM.

Wheeler, S. R., & Austin, J. (2000). The Loss Response List: A tool for measuring adolescent grief responses. *Death Studies* 24, 21-34.

Wolfe, B., & Jordan, J. (2000). Ramblings from the trenches: A clinical perspective of thanatological research. *Death Studies*, 24 (7),569-584.

Woof, W.R., & Carter, Y.H. (1997a). The grieving adult and the general practitioner: a literature review in two parts (part 1). *British Journal of General Practice*, 47, 443-448.

Woof, W.R., & Carter, Y.H. (1997b). The grieving adult and the general practitioner: a literature review in two parts (part 2). *British Journal of General Practice*, 47, 509-514.

Worden, W. (1991). *Grief Counselling and Grief Therapy*. Rourledge: London.

World Health Organisation. (1992). *International Statistical Classification of Diseases and Related Health Problems*. Geneva: World Health Organisation.

World Medical Association. (1964/1989). *Declaration of Helsinki*. Geneva: World Medical Association.

Wortman, C. B., & Silver, R.C. (1989). The myths of coping with loss. *Journal of Consulting and Clinical Psychology*, 57, 349-357.

Zisook, S., & DeVaul, R. (1987). Texas Revised Inventory of Grief. In S. Zisook (Ed.), *Biopsychosocial aspects of bereavement. American Psychiatric Press, 139 (12)*, 1590-1593.

Zisook, S., DeVaul, R.A., & Click, M. (1982). Measuring symptoms of grief and bereavement. *American Journal of Psychiatry, 139 (12)*, 1590-1593.

Zung, W.W.K., Broadhead, E., & Roth, M.E. (1993). The prevalence of depressive symptoms in primary care. *The Journal of Family Practice, 37 (4)*, 337-344.