Isolation and Characterization of Stem Cell Populations in the Periodontium Jimin Xiong

Master of Dentistry (Shandong University, China)

Bachelor of Medicine (Shandong University, China)

Colgate Australian Clinical Dental Research Centre
School of Dentistry, Faculty of Health Sciences
University of Adelaide

and

Mesenchymal Stem Cell Research Group

Bone and Cancer Research Laboratory, Division of Haematology

Hanson Institute, SA Pathology

A thesis submitted to the University of Adelaide for the degree of Doctor of Philosophy

June 2012

I dedic	cate this t	hesis to	my dad.	He will	be greatl	y missed
that ha	d the priv	rilege to F	know hin	n.		

Table of Contents

Table of Figures	i
Table of Tables	i
Declaration	i
List of Publications	ii
Acknowledgments	iii
List of Abbreviations	vi
Abstract	x
Chapter 1. Introduction	1
1.1 Periodontal regeneration	1
1.2 HERS/ERM and the maintenance of periodontium	2
1.2.1 HERS and periodontium development	2
1.2.1.1 Formation of HERS and the classical theory of per	riodontium
development	2
1.2.1.2 Root formation	4
1.2.2 The fate of HERS after tooth root development	15
1.2.3 The role of ERM in the maintenance of periodontal ligament funct	ion16
1.2.3.1 The maintenance of PDL homeostasis	17
1.2.3.2 A target during developmental PDL innervation	19
1.2.3.3 Cementum repair	19
1.3 Limited regenerative capacity of periodontal ligament tissues	20
1.4 Stem cells	21
1.4.1 Historical perspective and minimal criteria for defining r	nultipotent
mesenchymal stem cells	24
1.4.2 Adult MSC-like cells derived from dental tissues	25
1.4.2.1 Stem cells associated with periodontal tissues	26
1.4.2.2 The use of stem cells in periodontal tissue regeneration	27
1.4.2.2.1 The use of periodontal ligament progenitor cells in periodo	ontal tissue
regeneration	27
1.4.3 Surface markers of stem cell populations	33
1.4.3.1 Heterogeneity of stem cells	33
1.4.3.2 Phenotypic profile of adult mesenchymal stem cells	34
1.4.3.3 Characterisation of epithelial stem cells	37

1.5 Summary	38
1.6 Project aims	39
Chapter 2. Materials and Methods	40
2.1 Materials	40
2.2 Cell culture	45
2.2.1 Cell culture conditions	45
2.2.2 Isolation of human periodontal ligament stem cells and gingival fibro	blasts45
2.2.3 Culture of human PDLSC and GF	46
2.2.4 Isolation of ovine ERM and PDLSC	46
2.2.5 Culture of ovine ERM and PDLSC	47
2.2.6 Cell counting and viability testing	47
2.2.7 Cryopreservation of cells	48
2.2.8 Thawing of cryopreserved cells	48
2.3 Cell sorting	48
2.3.1 Immunomagnetic selection	48
2.3.2 Colony forming assay	49
2.3.3 Fluorescence-activated cell sorting	50
2.4 Protein analysis	51
2.4.1 Immunohistochemistry	51
2.4.2 Flow cytometric analysis	51
2.4.3 Preparation of protein lysates for western immunoblotting analysis	52
2.4.4 ReduCing agent and Detergent Compatible (RCDC) protein assay	53
2.4.5 Western immunoblotting	53
2.5 Proteomics analysis	55
2.5.1 Cell surface labelling using CyDye DIGE Fluor minimal dye	55
2.5.2 Preparation of cell lysates and membrane protein enrichment	56
2.5.3 Multiple membrane fractionations	58
2.5.4 Sample preparation for proteomic analysis	58
2.5.5 Protein separation by two-dimensional gel electrophoresis (2-DE)	58
2.5.5.1 First dimension protein separation: Isoelectric focusing (IEF)	58
2.5.5.2 Second dimension electrophoresisSDS PAGE	60
2.5.6 Gel visualisation	60
2.5.7 Flamingo fluorescent staining	61
2.5.8 Automated spot picking	61
2.5.9 Protein identification by liquid chromatography-electrospray ionisat	ion ion-

trap (LC-ESI-IT) mass spectrometry (MS)	62
2.5.10 Protein characterisation using web-based bioinformatics tools	63
2.6 Gene expression profiling	63
2.6.1 Preparation of total RNA	63
2.6.2 Quantification and purity analysis of RNA	64
2.6.3 Complementary DNA (cDNA) synthesis	64
2.6.4 Real-time PCR	65
2.6.5 Gene expression of epithelial-mesenchymal transition markers by rea	ıl-time
PCR	65
2.7 Differentiation assays	66
2.7.1 Assessment of osteogenic differentiation potential	66
2.7.2 Assessment of adipogenic differentiation potential	68
2.7.3 Assessment of chondrogenic differentiation potential	69
2.7.4 Assessment of neurogenic differentiation potential	70
2.8 In vivo transplantation of ERM cells	72
2.8.1 Preparation of transplants	72
2.8.2 Transplantation surgery	72
2.8.3 Histological analysis	73
2.9 Ovine tooth preparation	73
2.10 Imaging	74
2.11 Statistical analysis	74
Chapter 3. Characterization and purification of ovine ERM cells in vitro	75
3.1 Introduction	75
3.1.1 Methods for epithelial cell isolation from the periodontium	76
3.1.2 Prospective isolation of keratinocyte stem cells	77
3.2 Results	79
3.2.1 ERM and PDLF exhibited differential growth pattern	79
3.2.2 Differential immunophenotypic profiles of ERM cells and PDLF	80
3.2.2.1 ERM cells expressed both epithelial and mesenchymal markers	80
3.2.2.2 ERM cells expressed epithelial markers in vivo	82
3.2.2.3 Cell surface expression profiles of PDLF in vitro	83
3.2.3 PDLF were unable to undergo mesenchymal epithelial transition	when
grown under keratinocyte culture conditions	85
3.2.4 Integrin α 6/CD49f can serve as a surface marker to purify ERM cells	86
3.3 Discussion	91

Chapter 4. Multilineage differentiation potential of ERM cells in vitro and in vivo 100
4.1 Introduction
4.1.1 Mineral-forming capacities of ERM cells in vitro and in vivo
4.1.2 Epithelial-mesenchymal-interactions during tooth development and
regeneration
4.1.3 Epithelial mesenchymal transition
4.1.4 Multilineage differentiation potential of ERM cells in vitro and in vivo 104
4.2 Results
4.2.1 Multilineage differentiation potential of ERM cells in vitro
4.2.1.1 Mineralization differentiation potential of ERM cells
4.2.1.2 Adipogenic differentiation potential of ERM cells
4.2.1.3 Chondrogenic differentiation potential of ERM cells
4.2.1.4 Multilineage differentiation potential of clonal ERM cell populations in
vitro112
4.2.1.5 Neuronal differentiation potential of ERM cells by exogenous growth
factors
4.2.2 Ex vivo-expanded ERM cells can generate bone, cementum-like tissue and
Sharpey's fibre-like structures in vivo
4.2.3 ERM undergo epithelial-mesenchymal transition during osteogenic
induction
4.2.4 Survival of PDLSC in oral keratinocyte media (OKM) and subsequent
mesenchymal epithelial transition
4.3 Discussion
Chapter 5. Development of a protocol for fluorescent cell surface labelling and 2-
dimensional gel electrophoresis
5.1 Introduction
5.2 Results
5.2.1 Confirmation of cell surface CyDye labelling of human gingival fibroblasts
using flow cytometry
5.2.2 Comparative 2-DE profiles of CyDye-labelled proteins and total proteins in
hydrophobic and hydrophilic protein fractions
5.2.3 Membrane protein enrichment step in surface protein sample preparation 138
5.2.4 Protein identification of five randomly picked protein spots demonstrated
cytosolic protein contamination in the membrane protein samples 140
5.2.5 Preparation of membrane proteins using multiple membrane protein

enrichment steps	142
5.2.5.1 Multiple membrane protein enrichment steps gave rise to similar	ar 2-DE
profiles	142
5.2.5.2 Multiple membrane protein enrichment steps diminished but	did not
eliminate cytosolic protein contamination	142
5.2.6 Collagenase detachment gave rise to better cell viability compared to	EDTA
detachment	144
5.2.7 Collagenase detachment minimised cytosolic protein contamination	ı in the
membrane protein preparations	145
5.3 Discussion	146
5.3.1 Studies using CyDye cell surface labelling	147
5.3.2 Challenges in membrane protein investigation	148
5.3.2.1 Inconsistency of stem cell membrane proteome data	148
5.3.2.2 Fractionation and enrichment of membrane proteins	150
5.2.2.3 CyDye cell surface labelling does not exclude intracellular	protein
labelling	152
5.2.2.4 Cell dissociation approaches	153
Chapter 6. Investigation of the cell surface proteome of periodontal ligament ste	m cells
(PDLSC) using cell surface labelling	155
6.1 Introduction	155
6.2 Results	158
6.2.1 Membrane protein expression of ex-vivo expanded human PDLSC	158
6.2.2 Protein identification	159
6.2.3 Validation of the expression of 5'-nucleotidase, Thy-1 me	mbrane
glycoprotein, Annexin A2 and sphingosine kinase 1	166
6.3 Discussion	174
6.3.1 CD73	175
6.3.2 CD90	176
6.3.3 Annexin A2	178
6.3.4 SPK1	181
6.4 Conclusion	185
Chapter 7. Discussion and concluding remarks	186
7.1 Result summary and discussion	186
7.2 Future directions	189
7.2.1 What is the binding subunit of integrin α6 in ERM cells?	189

9
0
nt
0
2
a
2
al
3
3
4
6
6
7
0

Table of Figures

Figure 1.1 Schematic representation of root development and fragmentation of epithelial
root sheath3
Figure 2.1 The flow chart of cell surface labelling and subsequent proteomic preparation 57
Figure 2.2 The flow chart of multiple membrane fractionation59
Figure 3.1 The basic structure of integrin [44]79
Figure 3.2 Representative phase contrast images of ovine periodontal ligament cells81
Figure 3.3 Representative images of the protein expression profile of Epithelial cell Rests of Malassez (ERM) shown by immunocytochemistry
Figure 3.4 Protein expression was confirmed by flow cytometric analysis83
Figure 3.5 Epithelial cell rests of Malassez (ERM) expressed epithelial cell markers <i>in vivo</i>
Figure 3.6 Representative images of the protein expression profile of Periodontal Ligament Fibroblasts (PDLF) shown by immunocytochemistry
Figure 3.7 Periodontal ligament stem cells did not under mesenchymal epithelial transition in keratinocyte culture system
Figure 3.8 Integrin α6/CD49f can serve as a surface marker to purify Epithelial cell Rests of Malassez (ERM)
Figure 3.9 Integrin α6/CD49f was used as a surface marker for the enrichment of Epithelial cell Rests of Malassez (ERM) from three donors
Figure 4.1 Osteogenic differentiation potential of ERM cells in vitro
Figure 4.2 Adipogenic differentiation potential of ERM cells in vitro
Figure 4.3 Chondrogenic differentiation potential of ERM cells in vitro111
Figure 4.4 Multilineage differentiation potential of ERM cells at the clonal level114
Figure 4.5 Morphologically ERM cells became neuron-like cells in neurogenic conditions

Figure 4.6 Neurogenic potential of ERM cells <i>in vitro</i>
Figure 4.7 Selection of integrin α_6 /CD49f-high fraction of ERM cultures by Fluorescence activated cell sorting (FACS)
Figure 4.8 Generation of bone, cementum-like and Sharpey's fibre-like structures <i>in vivo</i> by ERM cells
Figure 4.9 ERM cells gave rise to the mineral formation in subcutaneous transplantation
Figure 4.10 ERM cells are capable of undergoing epithelial-mesenchymal transition under osteogenic conditions
Figure 4.11 Periodontal ligament stem cells did not undergo mesenchymal epithelial transition in keratinocyte culture system
Figure 5.1 Human gingival fibroblasts were successfully surface labelled with CyDye shown by flow cytometry
Figure 5.2 Distinct 2-DE patterns of CyDye-labelled (A) and flamingo-stained (B) hydrophobic proteins of cell surface-labelled human gingival fibroblasts
Figure 5.3 Distinct 2-DE patterns of CyDye-labelled (A) and flamingo-stained (B) hydrophilic proteins of surface-labelled human gingival fibroblasts
Figure 5.4 Membrane protein enrichment step was necessary for surface protein sample preparation
Figure 5.5 Protein identification of five random spots demonstrated cytosolic protein contamination in the membrane protein samples
Figure 5.6 Multiple membrane protein enrichment steps gave rise to similar 2-DE profiles
Figure 5.7 Multiple membrane protein enrichment steps diminished but did not eliminate cytosolic protein contamination
Figure 5.8 Collagenase detachment minimised cytosolic protein contamination in the membrane protein preparations
Figure 6.1 Representative raw 2-DE gels of CyDye labelled proteins of ex vivo expanded

human periodontal ligament stem cells (PDLSC)
Figure 6.2 The location of protein spots identified on the raw 2-DE image161
Figure 6.3 Validation of cell surface expression of CD73, CD90 and Annexin A2 using
flow cytometric analysis in human periodontal ligament stem cells (PDLSC)167
Figure 6.4 Validation of cell surface expression of CD73, CD90 and Annexin A2 using
flow cytometric analysis in human gingival fibroblasts (HGF)
Figure 6.5 Validation of cell surface expression of CD73, CD90 and Annexin A2 using
flow cytometric analysis in human keratinocytes
Figure 6.6 Validation of cell surface expression of CD73, CD90 and Annexin A2 using
flow cytometric analysis in ovine periodontal ligament stem cells (PDLSC)170
Figure 6.7 Validation of cell surface expression of CD73, CD90 and Annexin A2 using
flow cytometric analysis in ovine Epithelial cell Rests of Malassez (ERM)171
Figure 6.8 The expression of Annexin A2 and Sphingosine Kinase 1 (SPK1) in various
human and ovine cell populations using immunocytochemical analysis173
Figure 6.9 CD73 is involved in the generation of adenosine
Figure 6.10 Sphingosine kinase (SPK) plays important roles in regulating cell proliferation
and apoptosis
Figure 7.1 Schematic representations of the stem cell-like properties of ovine ERM cells
and putative association of epithelial mesenchymal transition with the maintenance of
periodontal ligament homeostasis

Table of Tables

Table 1.1 Derivation and properties of stem cell populations	23
Table 2.1 Cell Culture Media	40
Table 2.2 Buffers and Solutions	41
Table 2.3 Equipment	42
Table 2.4 Antibodies	42
Table 2.5 Primer Sequences for RT-PCR	44
Table 2.6 Focusing conditions for 11 cm IPG strips (3–10)	60
Table 2.7 Detection of fluorescence of CyDye DIGE Fluor Minimal Dyes: Excitation Source and Emission Filters [216]	
Table 4.1 Multilineage differentiation potential of ERM cells at the clonal level	112
Table 5.1 Collagenase detachment gave rise to better cell viability compared to E	
Table 6.1 Membrane-associated proteins on human PDLSC	162
Table 6.2 Cell surface expression of CD73, CD90 and Annexin A2 by flow cyton analysis. Data represent median %(range)	
Table 7.1 The expression of CD73, CD90, Annexin A2 and sphingosine kinase 1	189

Declaration

I certify that this work contains no material which has been accepted for the award of any

other degree or diploma in any university or other tertiary institution and, to the best of my

knowledge and belief, contains no material previously published or written by another

person, except where due reference has been made in the text. In addition, I certify that no

part of this work will, in the future, be used in a submission for any other degree or

diploma in any university or other tertiary institution without the prior approval of the

University of Adelaide and where applicable, any partner institution responsible for the

joint-award of this degree.

I give consent to this copy of my thesis when deposited in the University Library, being

made available for loan and photocopying, subject to the provisions of the Copyright Act

1968.

The author acknowledges that copyright of published works contained within this thesis (as

listed below) resides with the copyright holder(s) of those works. I also give permission for

the digital version of my thesis to be made available on the web, via the University's

digital research repository, the Library catalogue, the Australasian Digital Theses Program

(ADTP) and also through web search engines, unless permission has been granted by the

University to restrict access for a period of time.

Signed

Jimin Xiong

i

List of Publications

Epithelial Cell Rests of Malassez contain unique stem cell populations capable of undergoing epithelial-mesenchymal transition. **Xiong J**, Mrozik K, Gronthos S and Bartold PM. *Stem Cells & Development*. In press.

Proteomic characterization of mesenchymal stem cell-like populations derived from various tissue types. Mrozik K*, **Xiong J***, Zilm PS, Gronthos S and Bartold PM. *Stem Cells and Cancer Stem Cells: Therapeutic Applications in Disease and Injury*. In press. (Mrozik K and Xiong J contributed equally)

Role of epithelial cell rests of Malassez in the development, maintenance and regeneration of periodontal ligament tissues. **Xiong J**, Gronthos S and Bartold PM. *Periodontology* 2000. In press.

Acknowledgments

First and foremost I would like to thank both of my supervisors Professor Mark Bartold and Professor Stan Gronthos. I feel privileged to be guided by such intelligent and talented scientists. Thank you for being caring, sharing all your intelligence, believing in me and always finding time for me no matter how busy you are. In particular, thank you for your understanding of the challenges and difficulties for an international student without any science background. Thank you for giving me extra attention and support during my PhD, for your help in experimental design and all your encouragements in the first year, for your guidance in troubleshooting in the second year, and for your assistance in writing up in my third year. Also thank you for setting a great example of time management and keeping me on the right timeframe for my PhD. Thank you for guiding me get the "ticket" in science and helping me start building my career. I always feel that I am very lucky to have had you as my supervisors.

There are many people that deserve a big thank you! Dr Peter Zilm, thank you for teaching me proteomic techniques, for sharing your knowledge about proteins and for all your help in my project. Particularly, thank you for all your time and help with corrections for my thesis - I know how much effort you have put in. Professor Pishan Yang in Shandong University, thank you for being a great supervisor when I was in China and for all your support and suggestions during my PhD. Thank you for seeing me through all the achievements in the last three years. Professor Andrew Zannettino, thank you for being so nice, intelligent, willing to share all your brilliant ideas, and being full of energy all the time. I have learnt so much from you in our Tuesday lab meetings. Sandy McConachy, thank you for being caring and ready to help any time.

Krzysztof Mrozik, I cannot imagine having done my PhD without you. Thank you for teaching me almost all the techniques, being ready to help any time I had trouble, and telling me "it is not the end of the world" when I felt frustrated and "that happens" when I

did something wrong. DJ (Danijela Menicanin), I have so much to thank you for, you are so beautiful and such a sweetheart. Thank you for all your help, technically and emotionally. You helped me settle in and treated me like a sister when I arrived in Australia. Also thank you for sharing all your experience to help me survive throughout my PhD, understanding all my fears and being happy to help whenever I need you. Naohisa Wada, thank you for all your help and never minding staying after hours to help me. Thank you for setting an example of working hard and working smart. I had a good time working with you. Amy Li, thank you for sharing all your knowledge of keratinocyte culture and cell sorting. I also enjoyed all the chats, related or unrelated to research. Kiwi (Kim Hynes), thank you for your time looking at the hundreds of proteomic data, your help with everything including computer, writing..., and listening to all my problems. I had a great time sharing the same office with you. Catherine Offler, your time was greatly appreciated for figures in the paper, thesis formatting and many other things. Victor Marino, thank you for ovine tooth collection and decalcification, and animal ethics applications. Tracy Fitzsimmons, thank you for being there for me whenever I had some problems and wanted to talk. Jim Cakouros, thank you for your help with PCR. I would also like to thank all the lab members for helping the "Trouble" in the lab and answering my never ending questions. The discussions during the last three years have helped me develop novel ideas. Thank you for making me feel comfortable in the lab. Thank you for all the chats, for being so patient with my English and helping to improve it. They are: Agnes, Catherine, Jenny, Kate Vandyke, Kate Pilkington, Locky, Mary, Melissa, Peter, Romana, Sally, Sandra, Sara, Shaohua, Sharon, Shazzy, Steve, Thao and Tony. There are many people outside the lab that deserve thanks. I would like to thank Dr Yeesim Khew-Goodall and Assoc Prof Stuart Pitson for providing antibodies, Assoc Prof Peter Hoffman and Dr Megan Penno from Adelaide Proteomics Center for their technical assistance and Cathy and the staff from the department of Oral and Maxillofacial Surgery for human teeth collection.

I would like to thank all my friends, Dongdong, Furong, Han Guoge, Jactty, Li Yun, Nihung, Rudy, Wu Yue, Yang Chengzhe, Zhang Yan and Zhu Wei. Thank you for being there for me and celebrating all my achievements. I would like to thank my friends who are dentists: Aaron Seet, Sushil Kaur, Teck Huah Tang and Tina Choo for discussions. Thank you also goes to my housemates, Annabel, Ji Yan, Lina and Nancy, for putting up with me. Also a big thank you to all the other wonderful people around. There are so many great people that let me enjoy my stay in Australia.

I would like to acknowledge the support I received from the China Scholarship Council-University of Adelaide Joint Postgraduate Scholarship, the Colgate Betty Fanning Postgraduate Scholarship, Australia Stem Cell Center (ASCC) International Travel Award and Postgraduate Travel Fellowship, University of Adelaide.

Finally, to my parents, thank you for the unconditional love and selfless support you have given me. Thank you for picking me up after every fall, getting me prepared for every phase in my life and always believing in me. Seeing Xiong Yikai (my nephew) growing up, I understand how much you have done for me since I was born. I feel sorry for keeping you worried about me in the last three years. Words are not enough in the world to express my gratitude to my parents. To my brother and his family (Jia Xiaoyu and Xiong Yikai: "Gugu, I miss you. When you coming back?"), thank you for supporting me enormously. Gege, you are the best brother in the world!!! I feel very lucky to be born in such a happy family where everyone loves and feel close to each other.

List of Abbreviations

α-MEM Minimum essential medium, α modification

x g Times gravity

μ Microns

2-DE Two-dimensional electrophoresis
AAC Acellular afibrillar cementum

ACN Acetonitrile

AEFC Acellular extrinsic fiber cementum
AIFC Acellular intrinsic fiber cementum

ALP Alkaline phosphatase

AMP Adenosine 5'-monophosphate

ASC Adult stem cells

bFGF Basic fibroblast growth factor

bHLH Basic helix-loop-helix
BMP Bone morphogenic protein
BMSC Bone marrow stem cells
BrdU Bromodeoxyuridine
BSA Bovine serum albumin
BSP Bone sialoprotein

CAP Cementum adhesion protein

cDNA Complementary deoxyribonucleic acid
CFU-Epi Colony Forming Unit-Epithelial cells
CFU-F Colony Forming Unit-Fibroblast
CIFC Cellular intrinsic fiber cementum

CK Cytokeratin

CMFC Cellular mixed stratified fiber cementum

CO₂ Carbon dioxide

DAPI 4',6-diamidino-2-phenylindole dihydrochloride

DEPC Diethylpyrocarbonate

DF Dental follicle

DFPC Dental follicle progenitor cells
DIGE Difference gel electrophoresis

Dlx-2 Distal-less gene-2

DMEM Dulbecco's modified eagle medium

DMSO Dimethyl-sulfoxid
DNA Deoxyribonucleic acid

DNCP Dentin noncollagenous proteins

DP Dental pulp

DPSC Dental pulp stem cells

DTT Dithiothreitol

ECM Extracellular matrix

EDTA Ethylenediaminetetra-acetic acid EDX Energy Dispersive X-ray Analysis EGF Epithelial growth factor EMP Enamel Matrix Proteins

EMP-1 Epithelial membrane protein 1

EMT Epithelial to mesenchymal transition

EPMA Electron Probe Micro-Analysis

ER Endoplasmic reticulum

ERM Epithelial Cell Rests of Malassez

ESC Embryonic stem cells

FA Formic acid

FACS Fluorescence activated cell sorting

FCS Foetal calf serum

FGF Fibroblast growth factor

GAPDH Glyceraldehyde 3-phosphate dehydrogenase

GF Gingival fibroblasts

GFAP Glial fibrillary acidic protein

GM-CSF Granulocyte-macrophage colony stimulating factor

GMSC Gingiva-derived mesenchymal stem cells

GoPro49 Golgi protein 49kDa

GPI Glycosyl phosphatidylinositol
GRAVY Grand average of hydropathicity

H&E Hematoxylin and eosinH₂O₂ Hydrogen peroxide

H₂SO₄ Sulphuric acid

HA/TCP Hydroxyapatite/tricalcium phosphate

HBSS Hanks balanced salt solution

HCl Hydrochloric acid

HEPES 4-(2-hydroxyethyl)-1-piperazineethanesulfonic acid

HERS Hertwig's Epithelial Root Sheath

hnRNPC Heterogeneous nuclear ribonucleoprotein C

HSC Haematopoietic stem cell HSP-90β Heat shock protein-90β

IAA Iodoacetamide

IBMX 3-Isobutyl-1-methyl-xanthine
ICAT Isotope coded affinity tag
ICC Immunocytochemistry

IDO Indoleamine 2,3-dioxygenase

IEF Isoelectric focusing
Ig Immunoglobulin

IHC ImmunohistochemistryIPG Immobilised pH gradientiPSC Induced pluripotent stem cells

ISCT International Society for Cellular Therapy

ITSS Insulin-transferrin-sodium-selenite supplement

KCl Potassium chloride

kDa Kilo Dalton

KSC Keratinocyte stem cells

LC-ESI-IT Liquid chromatography-electrospray ionisation ion-trap

M Molar mA Milli amps

MACS Magnetic activated cell sorting ml/mm/mM Millilitre/millimetre/millimolar

MMP Matrix metalloproteinase mRNA Messenger ribonucleic acid

MS Mass spectrometry

MSC Mesenchymal stem cells

MSX Muscle segment homeobox gene

NaCl Sodium chloride NaOH Sodium hydroxide NF Nuclease free

NF-H Neurofilament heavy chain

NFI-C Nuclear factor I family member C

NGF Nerve growth factor

NH₄HCO₃ Ammonium bicarbonate buffer NIH National Institutes of Health

NOD/SCID mice Non-obese diabetic-severe combined immunodeficient

NSC Neural stem cells

OKGS Oral keratinocyte growth supplement

OKM Oral keratinocyte media

OPG Osteoprotegerin
OPN Osteopontin
P Passage

P/S Penicillin and streptomycin solution
PAGE Poly-acrylamide gel electrophoresis

PBS Phosphate buffered saline

PBS-T Phosphate buffered saline + 0.1% Tween-20 PBS-TX Phosphate buffered saline + 0.3% triton-X 100

PCR Polymerase chain reaction

PDL Periodontal ligament

PDLF Periodontal ligament fibroblasts
PDLP Periodontal ligament progenitor cells

PDLSC Periodontal ligament stem cells

PE Phycoerythrin
PFA Paraformaldehyde
PGE₂ Prostaglandin E₂

PGP 9.5 Protein gene product 9.5

pI Isoelectric point

PLAP-1 Periodontal ligament associated protein-1

PMD Post-mitotic differentiating keratinocyte
PPAR Perixosome proliferator-activated receptor

RA Retinoic acid

RCDC ReduCing agent and Detergent Compatible

RT Room temperature

RT-PCR Real time polymerase chain reaction Runx₂ Runt-related transcription factor-2

S1P Sphingosine-1-phosphate

SC Stem cells

SCAP Stem cells from root apical papilla

SD Standard deviation

SDS Sodium dodecyl sulphate
SEM Standard error of the mean

SHED Stem cells from human exfoliated deciduous teeth

SHH Sonic hedgehog

SPARC Secreted protein acidic and rich in cytokine

SPK Sphingosine kinase

STRO-1 Early mesenchymal stem cell marker TA Transit amplifying keratinocytes

TBP Tributyl phosphine
TBS Tris buffered saline

TEMED N, N, N, N – tetramethyl - ethylenediamine

TGF Transforming growth factor

Thy-1 Thymocyte differentiation antigen-1
TNSALP Tissue nonspecific alkaline phosphatase

TUNEL Terminal deoxynucleotidyl transferase dUTP nick end labeling

VSEL Very small embryonic-like stem cells

w/v Weight per volume

Zeb1 Zinc finger E-box-binding homeobox μg/μl/μM Microgram/microlitre/micromolar

Abstract

Stem cells represent promising candidates for tissue engineering due to their capacity for self-renewal and their potential for differentiating into multiple cell lineages. The periodontal tissues are composed of various cell types, such as periodontal ligament fibroblasts, osteoblasts, cementoblasts, endothelial cells, the Epithelial Cell Rests of Malassez (ERM). Studies have previously identified periodontal ligament stem cells (PDLSC) within these tissues, which have the capacity to form periodontal ligament, cementum and bone. Another potential source of progenitor cells described in periodontal tissues are ERM, which are the only odontogenic epithelial cells in the adult periodontium. The present study identified that ERM contained a unique multipotential stem cell population with similar properties as described for PDLSC. Furthermore, the present proposal investigated the cell surface protein expression of PDLSC to identify unique markers for the isolation and purification of PDLSC.

The present study demonstrated that ovine Epithelial Cell Rests of Malassez contain a subpopulation of stem cells that could undergo epithelial-mesenchymal transition into mesenchymal stem-like cells with multi lineage potential. *Ex vivo*-expanded ERM expressed both epithelial (cytokeratin-8, E-cadherin and Epithelial Membrane Protein-1) and bone marrow stromal/stem cell markers (CD44, CD29, Heat Shock Protein-90β). Integrin α₆/CD49f could be used for the enrichment of clonogenic cell clusters (colony-forming units-epithelial cells [CFU-Epi]) which was weakly expressed by PDLSC. Importantly, ERM demonstrated a capacity to differentiation into bone, fat, cartilage and neural cells *in vitro*, and form bone, cementum-like and Sharpey's fibre-like structures when transplanted into immunocompromised mice. Additionally, gene expression studies showed that osteogenic induction of ERM triggered an epithelial-mesenchymal transition. The present study also examined the cell surface protein expression of human PDLSC

using CyDye cell surface labelling and two-dimensional electrophoresis coupled with liquid chromatography--electrospray-ionization tandem mass spectrometry. In addition to the expression of well known mesenchymal stem cell associated cell surface antigens such as CD73 (ecto-5'-nucleotidase) and CD90 (Thy-1), PDLSC were also found to express two novel cell surface proteins, Annexin A2 and sphingosine kinase 1. Interestingly, previous studies have implicated CD73, CD90, Annexin A2 and sphingosine kinase 1 expression in the maintenance of various stem cell populations. Comparative analyses investigated the expression of CD73, CD90, Annexin A2 and sphingosine kinase-1 in human gingival fibroblasts, human keratinocytes, ovine PDLSC and ovine ERM cells. Importantly, this study found that human skin epithelial cells lacked any cell surface expression for CD73, CD90 and Annexin A2.

In summary, ERM and PDLSC are both important stem cell sources that could play a pivotal role in periodontal homeostasis and regeneration following insult or disease. As periodontal regeneration is essentially a re-enactment of the periodontal tissue development process, it is plausible to suggest that the combination of ERM and PDLSC would hold greater potential for periodontal regeneration compared to established bone marrow-derived mesenchymal stem cells.