# PATTERNING OF THE HUMAN DENTITION: IMPLICATIONS FOR FORENSIC ODONTOLOGY

by

Nor Atika Md Ashar

DDS (Malaysia), GDipForOdont (Adelaide)

School of Dentistry

The University of Adelaide



Submitted for the degree of Doctor of Philosophy

Please note that images of deceased Australian Indigenous people are contained within this thesis

# **Table of contents**

Tab	ple of contents	iii
List	t of tables	x
List	t of figures	xvii
List	t of abbreviations	xxv
Abs	stract	xxvi
The	esis declaration	xxviii
For	rmat of thesis	xxix
Ack	knowledgements	xxx
Cha	apter 1: Introductory background	1
1.1	Forensic odontology: the use of teeth for identification purposes	1
1.2	Dental variation	4
1.3	From variation to individualisation	6
1.4	Thesis Format	9
Cha	apter 2: Literature review	10
2.1	Oral development	10
	2.1.1 Jaw development	10
	2.1.2 Tooth development	11
	2.1.3 Tooth patterning	13
	2.1.4 Genetic and environmental influences	21
2 2	Human variation	23

	2.2.1 Dental arch variation	24
	2.2.2 Tooth variation	27
	2.2.3 Statistical evidence for the diversity of dental patterns	29
2.3	Population diversity	35
	2.3.1 Ethnicity versus race	36
	2.3.2 Phenotypic differences	39
	2.3.3 Challenges	46
2.4	Recording variation	47
	2.4.1 Two-dimensional imaging	47
	2.4.2 Three-dimensional imaging (3D)	47
2.5	Analysing variation	54
	2.5.1 Dental crown size	55
	2.5.2 Dental arch size and shape	56
	2.5.2.1 Geometric Morphometric Analysis (GMA)	58
2.6	Forensic science and Individuality	61
	2.6.1 Legal requirements	63
	2.6.2 Individuality versus uniqueness	64
Sun	nmary of literature review	67
Cha	upter 3: Aims and objectives	68
3.1	Aims	68
3.2	Objectives	68
3.3	Hypotheses	69
	upter 4: Materials and methods	
Olid	ıpıcı →. ıviatcı iaiə ailu iiictiiuuə	

71
71
72
73
82
88
90
90
90
91
100
101
104
105
108
108 110
110
110 110
110 110 110
110 110 110 111
110 110 110 111

	5.1.1 Intra-observer error	123
	5.1.2 Inter-observer error	126
	5.1.3 Validation of the 3D laser scanner for odontometric measurements	127
	5.1.4 Discussion	129
5.2	Comparison of permanent dental crown size between population groups	130
	5.2.1 Introduction	130
	5.2.2 Aims	131
	5.2.3 Null Hypotheses	131
	5.2.4 Materials and methods	131
	5.2.5 Results	132
	5.2.6 Correlations	155
	5.2.7 Three dimensional imaging	166
5.3	Comparison of techniques: two dimensional versus three dimensional	178
5.4	Discussion	180
5.5	Multivariate analysis	188
Cha	pter 6: Dental arch size and shape	207
6.1	Introduction	207
6.2	Aims	207
6.3	Null Hypotheses	207
6.4	Materials and Methods	208
	6.4.1 Ethical approval	208
	6.4.2 Measurements	208
6.5	Measurement validity	210

	6.5.1 Intra-observer error	210
	6.5.2 Inter-observer error	213
	6.5.3 Discussion	214
6.6	Dental arch size	215
	6.6.1 Dental arch size analysis	215
	6.6.2 Summary of descriptive analysis of dental arch width	222
6.7	Correlations	224
6.8	Further analysis of dental arch width	232
	6.8.1 Discussion	235
6.9	Dental arch shape	241
	6.9.1 Discussion	244
6.10	O General discussion	245
6.11	1 Multivariate analysis of dental arch size and dental crown dimensions	247
	6.11.1 Combination of dental crown size (maxillary and mandibular)	and denta
	arch size	247
Cha	apter 7: Geometric Morphometric Analysis	253
7.1	Introduction	253
7.2	Methods	255
7.3	Procrustes superimposition	256
	7.3.1 Outliers	257
7.4	Results	259
	7.4.1 Group differences	260
	7.4.2 Analysis of tansformation of shape according to each sample	264

7.5	Geometric Morphometric Analysis for maxillary dental arch shape	265
	7.5.1 Detailed analysis of GMA according to population	270
	7.5.2 Comparison between Europeans and Indians	282
7.6	Geometric Morphometric Analysis for mandibular dental arch shape	283
	7.6.1 Shape transformation of mandibular arch shape using procrustes	analysis
		283
	7.6.2 Detailed analysis of GMA according to population	287
	7.6.3 Comparison between PCA of mandibular dental arch	297
7.7	Discussion	298
Cha	pter 8: General Discussion	299
8.1	Methodology	300
8.2	Measurement reliability	300
8.3	Dental crown size	302
8.4	Dental arch size	303
8.5	Dental arch shape	303
8.6	Relevance of study findings	304
8.7	Preliminary suggestions on probability theory	305
8.8	Future research	309
8.9	Collaborative efforts and research limitations	311
Cha	pter 9: Conclusion	313
9.1	Research objectives	313
9.2	Findings	315
9.3	Future Directions	318

Chap	oter 10: References	319
Chap	oter 11: Appendices	336
11.1	Ethical approvals	336
11.2	Collection of abstracts presented during various conference throughout the	
	candidature	. 344
11.3	List of presentation throughout the candidature	347
11.4	List of visitations, courses and attendances	. 348
11.5	List of publications and grants	. 348

## List of tables

Table 2.1:	Genes responsible for the tooth development
	(adapted from Nanci (2008))
Table 4.1:	Camera properties
Table 4.2:	Camera settings employed for this research
Table 4.3:	Scanner settings
Table 4.4:	Inclusion and exclusion criteria101
Table 4.5	Demographic data of study sample103
Table 4.6:	Landmarks for Geometric Morphometric Analysis
Table 5.1:	Results of double determinations with 2D system124
Table 5.2:	Results of double determination with 3D system
Table 5.3:	Intra-operator measurements obtained using ImageJ (2D images) and
	measurements obtained using Rapidform (3D images)126
Table 5.4:	Interobserver reproducibility for selected dental crown size measurements
	using ImageJ127
Table 5.5:	Inter-observer reproducibility for selected dental crown size measurements
	using 3D imaging and Rapidform software129
Table 5.6:	Sample selection criteria
Table 5.7:	Descriptive statistics for mesiodistal and buccolingual dental crown size of
	maxillary right and left teeth in Europeans (in mm)
Table 5.8:	Descriptive statistics for mesiodistal and buccolingual dental crown size of
	mandibular right and left teeth in Europeans (in mm)

Table 5.9:	Descriptive statistics for mesiodistal and buccolingual dental crown size of
	maxillary right and left teeth in Australian Aboriginals (in mm)
Table 5.10:	Descriptive statistics for mesiodistal and buccolingual dental crown size of
	mandibular right and left teeth in Australian Aboriginals (in mm) 139
Table 5.11:	Descriptive statistics for mesiodistal and buccolingual dental crown size of
	maxillary right and left teeth in Malays (in mm) 141
Table 5.12:	Descriptive statistics for mesiodistal and buccolingual dental crown size of
	mandibular right and left teeth in Malays (in mm) 142
Table 5.13:	Descriptive statistics for mesiodistal and buccolingual dental crown size of
	maxillary right and left teeth in Chinese (in mm)
Table 5.14:	Descriptive statistics for mesiodistal and buccolingual dental crown size of
	mandibular right and left teeth in Chinese (in mm)
Table 5.15:	Descriptive statistics for mesiodistal and buccolingual dental crown size of
	maxillary right and left teeth in Indians (in mm)
Table 5.16:	Descriptive statistics for mesiodistal and buccolingual dental crown size of
	mandibular right and left teeth in Indians (in mm)
Table 5.17:	Descriptive statistics for mesiodistal and buccolingual dental crown size of
	maxillary right and left teeth in Orang Asli (in mm)
Table 5.18:	Descriptive statistics for mesiodistal and buccolingual dental crown size of
	mandibular right and left teeth in Orang Asli (in mm)
Table 5.19:	Percentage of dimorphism according to ethnic group (maxillary teeth) 152
Table 5.20:	Percentage of dimorphism according to ethnic group (mandibular teeth)

Table 5.21: Correlation between mesiodistal dental crown dimensions of antimeric	
maxillary teeth in European males	156
Table 5.22: Correlation between mesiodistal and buccolingual dental crown dimensions	s of
right maxillary teeth in European males	156
Table 5.23: Correlation between mesiodistal dental crown dimensions of antimeric	
maxillary teeth in European females	157
Table 5.24 Correlation between mesiodistal dental crown dimensions of maxillary teeth	ı in
males across all population groups.	158
Table 5.25: Correlation between mesiodistal crown dimensions of maxillary teeth in	
females across all population groups	159
Table 5.26: Correlation between maximum buccolingual crown dimensions of maxillary	1
teeth in males across all population groups	160
Table 5.27: Correlation between buccolingual crown dimensions of maxillary teeth in	
females across all population groups	161
Table 5.28: Correlation between mesiodistal crown dimensions of mandibular teeth in	
males across all population groups	162
Table 5.29: Correlation between maximum mesiodistal crown dimensions of mandibula	ar
teeth in females across all population groups	163
Table 5.30: Correlation between maximum buccolingual crown dimensions of mandibu	lar
teeth in males across all population groups	164
Table 5.31: Correlation between maximum buccolingual crown dimensions of mandibu	lar
teeth in females across all population groups	165

Table 5.32:	Descriptive statistics for mesiodistal and buccolingual dental crown size of	
	maxillary right and left teeth in Europeans (3D method) (in mm)16	8
Table 5.33:	Descriptive statistics for mesiodistal and buccolingual dental crown size of	
	mandibular right and left teeth in Europeans (3D method) (in mm)16	9
Table 5.34:	Descriptive statistics for mesiodistal and buccolingual dental crown size of	
	maxillary right and left teeth in Australian Aboriginals (3D method) (in	
	mm)	'0
Table 5.35:	Descriptive statistics for mesiodistal and buccolingual dental crown size of	
	mandibular right and left teeth in Australian Aboriginals (3D method) (in mm)	
	17	'1
Table 5.36:	Descriptive statistics for mesiodistal and buccolingual dental crown size of	
	maxillary right and left teeth in Malay (3D method)(in mm)17	'2
Table 5.37:	Descriptive statistics for mesiodistal and buccolingual dental crown size of	
	mandibular right and left teeth in Malays (3D method) (in mm)17	'3
Table 5.38:	Descriptive statistics for mesiodistal and buccolingual dental crown size of	
	maxillary right and left teeth in Chinese (3D method) (in mm)17	'4
Table 5.39:	Descriptive statistics for mesiodistal and buccolingual dental crown size of	
	mandibular right and left teeth in Chinese (3D method) (in mm)17	'5
Table 5.40:	Descriptive statistics for mesiodistal and buccolingual dental crown size of	
	maxillary right and left teeth in Indians (3D method) (in mm)17	'6
Table 5.41:	Descriptive statistics for mesiodistal and buccolingual dental crown size of	
	mandibular right and left teeth in Indians (3D method) (in mm)17	7

Table 5.42	: Descriptive statistics for dental crown size in three populations using 2D	and
	3D systems – mesiodistal crown diameters (in mm)	.179
Table 5.43	Group assignment based on the rotated component matrix of maxillary d	lenta
	crown dimension variables	. 191
Table 5.44	Group assignment based on the rotated component matrix of mandibula	r
	dental crown dimension variables	. 196
Table 5.45	: Group assignment based on the rotated component matrix of mandibula	ar
	dental crown dimension variables	.201
Table 5.46	Group assignment based on the value of dental crown measurement	
	according to sex	.202
Table 6.1:	Sample selection criteria	.208
Table 6.2:	Results of double determinations with 2D system	.211
Table 6.3:	Results of double determination with 3D system	.211
Table 6.4:	Intra-operator measurements obtained using ImageJ (2D images) and	
	measurements obtained using Rapidform (3D images)	.213
Table 6.5:	Interobserver reproducibility for dental arch size measurements using	
	ImageJ	.214
Table 6.6:	Dental arch width in Europeans (mm)	.216
Table 6.7:	Dental arch width in Australian Aboriginals (in mm)	.217
Table 6.8:	Dental arch width in Malays (in mm)	.218
Table 6.9:	Dental arch width in Chinese (in mm)	.219
Table 6.10	: Dental arch width in Indians (in mm)	.220
Table 6.11	: Dental arch width in Orang Asli (in mm)	.221

Table 6.12: Descriptive statistics for dental arch dimensions (mm) in males and fem	ales
across populations	223
Table 6.13: Correlations between maxillary inter arch width dimensions in European	า
males	224
Table 6.14: Correlations between maxillary inter arch width measures in Australian	
Aboriginals	225
Table 6.15: Correlations between mandibular inter arch widths in Australian Aborigi	nals
	226
Table 6.16: Correlations between maxillary arch width measures in Malays	227
Table 6.17: Correlations between mandibular arch width measures in Malays	228
Table 6.18: Correlations between maxillary arch width measures in Chinese	228
Table 6.19: Correlations between mandibular arch width measures in Chinese	229
Table 6.20: Correlations between maxillary arch width measurement in Indians	229
Table 6.21: Correlations between mandibular arch width measurement in Indians	230
Table 6.22: Correlations between maxillary arch width measurement in Orang Asli .	230
Table 6.23: Correlations between mandibular arch width measurement in Orang As	li 231
Table 6.24: Comparisons between Inter-first molar widths reported by different	
researchers in various populations	235
Table 6.25: Descriptive statistics for fourth order orthogonal polynomial coefficients	for
maxillary and mandibular arch across all populations	243
Table 6.26: Group classification based on PCA	250
Table 6.27: Wilks' Lambda	252
Table 7.1: Classification/misclassification tables	260

Table 7.2:	Variation among groups, scaled by the inverse of the within-group	
	variation	262
Table 7.3:	Mahalanobis distances among groups	263
Table 7.4:	Procrustes distances among groups	263

# **List of figures**

Figure 2.1:	Butler's Field Theory (derived from Butler (1939))	14
Figure 2.2:	Dahlberg's Field Theory (derived from Dahlberg (1945))	15
Figure 2.3:	Osborn's Clone Model (derived from Osborn (1970))	17
Figure 2.4:	Co-operative genetic interaction (CGI) model	
	(derived from Mitsiadis and Smith (2006))	21
Figure 2.6:	Principles of laser triangulation (derived from Optix 400S manual)	49
Figure 2.7:	McCohnail and Scher classification of arch shap (derived from McCoh	nail
	and Scher (1949))	57
Figure 4.1:	Photographic set up	77
Figure 4.2:	USAF calibration grid	78
Figure 4.3:	Levelling apparatus	80
Figure 4.4:	Example of a dental cast photo taken with ABFO No 2 ruler	82
Figure 4.5:	Optix 400S laser scanner	86
Figure 4.6:	Scanner controls for optimum 3D images	87
Figure 4.7:	Example of individuals of European ancestry	93
Figure 4.8:	Location of Yuendumu (Source: hhhp://wiimedia.org)	94
Figure 4.9:	Example of male Australian Aboriginal	95
Figure 4.10:	Example of female Australian Aboriginal	96
Figure 4.11:	Map of Malaysia showing 14 states	97
Figure 4.12:	Examples of Malaysian Malay, Chinese and Indian	99
Figure 4.13:	Sample size estimations	102
Figure 4 14.	Example of MD and BL measurements on 2D image	106

Figure 4.15:	Example of MD and BL measurements on 3D image 1	06
Figure 4.16:	Coordinates selection	80
Figure 4.17:	Example of coordinates of landmarks used for dental arch shape	
	analysis1	09
Figure 4.18:	An interface showing extreme outliers have been excluded from the	
	analysis1	17
Figure 5.1:	Scatter plot showing correlation between mesiodistal dental crown size	of
	tooth 13 to 14 in males	58
Figure 5.2:	Scatter plot showing correlation between mesiodistal dental crown size	of
	tooth 13 to 14 in females	59
Figure 5.3:	Scatter plot showing correlation between buccolingual dental crown size	e
	of tooth 14 and 15 in males	60
Figure 5.4:	Scatter plot showing correlation between buccolingual dental crown size	e
	of tooth 14 and 15 in females1	61
Figure 5.5:	Scatter plot showing correlation between mesiodistal dental crown size	of
	tooth 41 and 42 and 42 and 43 in males	62
Figure 5.6:	Scatter plot showing correlation between mesiodistal dental crown size	!
	between tooth 41 and 421	63
Figure 5.7:	Scatter plot showing correlation between buccolingual dental crown size	:e
	between tooth 41 and 421	64
Figure 5.8:	Scatter plot showing correlation between buccolingual dental crown size	:e
	between tooth 41 and 421	65
Figure 5.9:	Canine field of sexual dimorphism (adapted from Garn et al. (1967)) 1	85

Figure 5.10:	Scree plot showing variance of each component in the dataset 1	189
Figure 5.11:	Rotated component matrix of 4 components	190
Figure 5.12:	Canonical discriminant functions of maxillary dental crown	
	dimensions	192
Figure 5.13:	Scree plot of component numbers after PCA	193
Figure 5.14:	Rotated component matrix of 5 components of mandibular dental	
	arch1	194
Figure 5.15:	Canonical discriminant functions of mandibular dental crown	
	dimensions	195
Figure 5.16:	Scree plot of component numbers after PCA	197
Figure 5.17:	Rotated component matrix of 5 components of all dental crown	
	variables1	199
Figure 5.18:	Canonical discriminant functions of all dental crown variables 1	199
Figure 6.1:	Scatter plot showing the correlation between inter- second premolar ar	nd
	inter-molar dimensions	224
Figure 6.2:	Scatter plot showing correlation between inter-second premolar and in	ter-
	molar dimensions	225
Figure 6.3:	Scatter plots showing correlation between inter-second premolar and in	nter
	molar	226
Figure 6.4:	Scatter plot showing correlation between inter-second premolar and in	ter-
	molar distance	227

Figure 6.5:	Comparison of Inter-arch dimensions between sample groups scaled to
	similar size (clockwise from top left: Europeans, Australian Aboriginals,
	Chinese, Orang Asli, Indians, Malays)234
Figure 6.6:	Scatter plot showing comparison of dental arch width in Europeans 237
Figure 6.7:	Scatter plot showing comparison of dental arch width in Australian
	Aboriginals237
Figure 6.8:	Scatter plot showing comparison of dental arch width in Malays 238
Figure 6.9:	Scatter plot showing comparison of dental arch width in Chinese 238
Figure 6.10:	Scatter plot showing comparison of dental arch width in Indians 239
Figure 6.11:	Scatter plot showing comparison of dental arch width in Orang Asli 239
Figure 6.12:	Scree plot showing variance of each component in the dataset 247
Figure 6.13:	Rotated component matrix for PCA of dental crown and dental arch
	variables248
Figure 6.14:	Canonical discriminant functions showing function 1 v function 2 249
Figure 6.15:	Canonical discriminant functions showing function 1 v function 2 251
Figure 7.1:	Lollipop graph showing PC1 of Procrustus coordinates of shape changes
	of all group
Figure 7.2:	Scatter plot of the first principal components (PCs) of shape variables 261
Figure 7.3:	Scatter plot of the first two principal components (PCs) of mean dental
	arch shape variables
Figure 7.4:	Transformation grid of PC1 (scaled to factor 0.2) showing deformation of
	arch shape in the starting to target shape for all population groups 266

Figure 7.5:	Transformation grid of PC2 (scaled to factor 0.2) showing deformation of
	arch shape in the starting to target shape for all population groups 269
Figure 7.6:	Europeans group overall shapes. Scatter plot of the first two principal
	components (PCs) of shape variables
Figure 7.7:	Wireframe graph shows PC shape changes (PC1) to the maxillary dental
	arch shape of the Europeans (dark blue) relative to the grand mean (light
	blue)
Figure 7.8:	Lollipop graph on transformation grid shows the direction of change for
	each individual landmark of the Europeans to the general group 271
Figure 7.9:	Lollipop graph shows the direction of change for each individual
	landmark of the maxillary dental arch between female and Europeans
	mean for principal component 1 (scale factor 0.2)
Figure 7.10:	Lollipop graph shows the direction of change for each individual
	landmark of the maxillary dental arch between female and Europeans
	mean for principal component 2 (scale factor 0.2)
Figure 7.11:	Lollipop graph shows the direction of change for each individual
	landmark of the maxillary dental arch between male and Europeans
	mean for principal component 1 (scale factor 0.2)
Figure 7.12:	Lollipop graph shows the direction of change for each individual
	landmark of the maxillary dental arch between male and Europeans
	mean for principal component 2 (scale factor 0.2)
Figure 7.13:	Discriminant analysis between arch shape of male and female of
	Europeans

Figure 7.14:	Scatter plot 58.5% of the first two principal components of shape	
	variables variance in the Australian Aboriginals	275
Figure 7.15:	Wireframe graph of PC1 (scale to the factor of 0.2) shows shape	
	changes between male and female of Australian Aboriginal	276
Figure 7.16:	Scatter plot 58.5% of the first two principal components of shape	
	variables variance in the Malays group	277
Figure 7.17:	Wireframe graph of PC1 (scale to the factor of 0.2) shows shape	
	changes between male and female of Malay group	278
Figure 7.18:	Scatter plot 58.5% of the first two principal components of shape	
	variables variance in the Chinese group	279
Figure 7.19:	Wireframe graph of PC1 (scale to the factor of 0.2) shows shape	
	changes between male and female of Chinese group	279
Figure 7.20:	Scatter plot 58.5% of the first two principal components of shape	
	variables variance in the Indians group	280
Figure 7.21:	Wireframe graph of PC1 (scale to the factor of 0.2) shows shape	
	changes between male and female of Indian group	280
Figure 7.22:	Scatter plot 58.5% of the first two principal components of shape	
	variables variance in the Orang Asli group	281
Figure 7.23:	Wireframe graph of PC1 (scale to the factor of 0.2) shows shape	
	changes between male and female of Orang Asli group	281
Figure 7.25:	Lollipop graph showing PC1 of procrustes analysis of mandibular arch	1
	shape between population sample	284

Figure 7.26:	Lollipop graph showing PC1 of procrustes analysis of mandibular arch	
	shape between population sample	36
Figure 7.27:	Europeans group overall shape. Scatter plot of the first two principal	
	components (PCs) of shape variables	37
Figure 7.28 \	Nireframe graph for Europeans group mean shape using thin-plate spline	Э
	derived from the difference between the reference form (sample mean	
	shape)	38
Figure 7.29:	Australian Aboriginal group overall shape. Scatter plot of the first two	
	principal components (PCs) of shape variables	}9
Figure 7.30:	Australian Aboriginal average shape pooled by sex	}9
Figure 7.31:	Wireframe graph for Australian Aboriginal group mean shape using thin-	-
	plate spline derived from the difference between the reference form	
	(sample mean shape)	)0
Figure 7.32:	Malays group overall shape. Scatter plot of the first two principal	
	components (PCs) of shape variables	<del>)</del> 1
Figure 7.33:	Wireframe graph for Malay group mean shape using thin-plate spline	
	derived from the difference between the reference form (sample mean	
	shape)29	<del>)</del> 1
Figure 7.34:	Chinese group overall shape. Scatter plot of the first two principal	
	components (PCs) of shape variables	)2
Figure 7.35:	Wireframe graph for Chinese group mean shape using thin-plate spline	
	derived from the difference between the reference form (sample mean	
	shape)29	)3

Figure 7.36:	Indian group overall shape. Scatter plot of the first two principal	
	components (PCs) of shape variables	. 294
Figure 7.37:	Wireframe graph for Indian group mean shape using thin-plate spline	!
	derived from the difference between the reference form (sample mea	n
	shape)	. 294
Figure 7.38:	Orang Asli group overall shape. Scatter plot of the first two principal	
	components (PCs) of shape variables	. 295
Figure 7.39:	Wireframe graph for Orang Asli group mean shape using thin-plate s	pline
	derived from the difference between the reference form (sample mea	n
	shape)	. 296
Figure 7.40:	PC1 v PC2 of mandibular dental arch shape	. 297

XXV

### List of abbreviations

(All tooth notations in this thesis are presented using FDI notation e.g. 12 for permanent right lateral incisor)

MD = Mesiodistal

BL = Buccolingual

U = Upper

L = Lower

GMA = Geometric Morphometric Analysis

PCA = Principal Component Analysis

DFA = Discriminant Function Analysis

CVA = Canonical Variate Analysis

#### **Abstract**

Forensic identification may be required for a number of reasons. The identification process relies on the comparison of information gathered from known records with information from the unknown. Different scientific methods may be employed, but a primary identifier is a comparison of data concerning the status of the teeth. Conclusions regarding identity range from possible to positive identification. The presence of dental treatments or pathological conditions usually adds to the weighting of forensic identification. The availability of dental radiographs also strengthens the opinion where ante-mortem and post-mortem image comparisons can be made. This combination of dental treatments provides a reasonable choice for statistical modelling; however, such forms of variability are on the decline in populations with better oral health.

It is well established that teeth are derived and affected by a complex interplay of genetic, epigenetic and environmental factors, giving rise to significant natural variation in the arrangement, size, and shape of teeth that is generally stable through time. Modelling such variation should provide a useful mechanism for identification in cases where dental treatments are not present in the dentition. Arguments on the issue of individualisation have highlighted an obvious obstacle when tackling this issue as it is impossible to study each and every individual in the world.

The aim of the current project is to display the value of focussing on these normal variations rather than the 'problems'. The focus is on the measurement and comparison

of dental crown size and dental arch size and shape within and between six human populations. This information provides the foundation for future development of a more robust probabilistic model focussing on the normal morphological status of dentition.

Observations were made in six different ethnic groups including Australian Aboriginals, Europeans, and four major ethnic groups in Malaysia; Malays, Indians, Chinese and a Malaysian Indigenous group (*Orang Asli*). Measurements of these variations using both 2D and 3D imaging systems displayed reliable and repeatable methods to measure patterning of the human dentition using the normal morphology of teeth and dental arches. By using standardised eigenvalues derived from metric measurements, a probabilistic model was postulated to assess random match probabilities.

The findings from this current research add to our understanding of the variability of the human dentition and should improve the acceptance of using dental morphology as a means of identification. The results have shown that despite absence of dental treatments, the nature and extent of normal morphological variation in the human dentition can be quantified reliably and then applied in forensic and anthropological situations for identification purposes.

xxviii

Thesis declaration

This work contains no material that has been accepted for the award of any other

degree or diploma in any university or other tertiary institution and, to the best of my

knowledge and belief, contains no material previously published or written by another

person, except where due reference has been made in the text.

I give consent to this copy of my thesis, when deposited in the University Library, being

made available for loan and photocopying, subject to the provisions of the Copyright

Act 1968.

I also give permission for the digital version of my thesis to be made available on the

web, via the University's digital research repository, the Library catalogue, the

Australasian Digital Theses Program (ADTP) and also through web search engines,

unless permission has been granted by the University to restrict access for a period of

time.

Signature: .....

Date: .....

#### Format of thesis

The thesis will be presented in nine main chapters. An introduction and findings from a literature review are presented in Chapters 1 and 2. A summary from the literature review will then lead to the main aims and objectives of this research. Chapter 4 presents the materials utilized in this research and the methodology employed to achieve aims and objectives highlighted in Chapter 3.

Chapters 5, 6 and 7 cover the results of this current research where Chapter 5 presents data and discussion on dental crown size, Chapter 6 presents data and discussion on dental arch size and shape, while Chapter 7 presents data and discussion on Geometric Morphometric Analysis of dental arch size.

Each chapter of results has a section of discussion and then Chapter 8 presents a general discussion of this research, highlighting its relevance, suggestions for further research and also highlighting collaborative efforts during the conduct of this research. Chapter 9 provides general conclusions. A list of references is provided at the end of this thesis, together with some appendices.

#### **Acknowledgements**

First and foremost I would like to thank all of my supervisors for their endless tolerance and patience towards supervising my PhD. Assoc Prof Toby Hughes, for being such an understanding supervisor, your ideas towards this research and all your help. Prof Townsend, for your patience, for constantly reading and editing my thesis, for your genius thoughts and your constant care, you are indeed a Jedi Master. To Assoc Prof John Kaidonis for your comfy chair that made talking to you a blissful stress reliever, and your always valuable input towards this project. Last but not least, Dr Helen James for patiently correcting my thesis and for your valuable opinions and for making me fall in love with forensic odontology. Supervisors, all your knowledge and contributions from your individual areas of expertise are highly appreciated.

To Michelle Bockmann, for being there when I needed you the most, rain or shine, whether as Research Manager or as a friend. To all the people on the 6<sup>th</sup> Floor, Adelaide Dental Hospital; Tracey, Abbe, Karen, Poppy, Corinna, Sarbin, Suzana, Dimi, Vicky, Sandy, Jim and Graham, and everyone in the Forensic Odontology Unit; JB, Denice and Tony, thank you for all the help, company and warm smiles. My fellow PhD friends, Ruba and Daniela, thank you very much for your peer support, coffee breaks and just great company in the lab.

To all the other wonderful individuals whom I have come across, nationally or internationally, people like Prof Alan Brook, Dr. Richard Smith, Mr. Ben Tam from Qubic and Mr Satish Mysore from 3D Digital – for the knowledge you shared on 3D technology,

Dr Michael Riese for your contribution towards manufacturing my custom made measuring equipment. To my friend Farah Liza for her peer support and advice on statistics. To Assoc Prof Dr. Neville Gully, I'm just so thankful that you are a Postgraduate Coordinator.

To all the twins and Australian Aboriginal people from Yuendumu for their dental casts. Thank you to Dr Fadhli Khamis for providing his Malaysian dental cast collection for use in this project.

To my husband, Farhan Azmey, I could never have done this without you. Seriously! Thank you for all the food that you've cooked with love, and your constant love and care and for your understanding.

To all my family back home, mom, Hamiyah and sisters, Diana and Siti I love you all very much. To my Adelaide family, Dalila, Shah, Hida, Syarif, Alisya, Ihsan, Elias and Amirah, you are the best!

To the Ministry of Higher Education in Malaysia for their support towards my study. To the Faculty of Health Sciences and the School of Dentistry, University of Adelaide for the opportunity to live my Australian dream, the experience of studying in this university is the best years of my life. Thank you for all the financial support towards my candidature and conference travels.

And to **all my friends**, you know who you are, thank you making this journey something to remember